



Price list

Valid from 01.04.2018

Non-binding, recommended sales prices. All prices excluding sales tax.

This price list remains valid until a subsequent price list is issued. Old price lists lose their validity on the date the latest price list goes into effect.

Customized Configurations

This price list may contain sample customized configurations, which are identified by the addition of a four-digit configuration number to the article number. In the example WM XXXXX-YYYY, the last four digits representing the customized configuration are separated from the actual article number by a hyphen.

All the prices for the configurations are based on a sample configuration of our choice generally numbered -0000). Your final price can differ, depending on your customized configuration!

Articles which are not configured will still be presented this way:

WM XXXXX (without a hyphen).

Up-to-date with our Customer Login

Our price lists are regularly updated at short notice. Before you place an order, please obtain information about the currently valid price lists by signing into the Customer Login at www.weinmann-emergency.de or by calling our Customer Service.

Shipping + Ordering of Minimum Quantities

A minimum quantity surcharge of 30 € applies to deliveries in foreign countries with a total value of less than 250 €.

All rights reserved

We reserve the right to make changes to constructions, designs, equipment and prices, particularly during ongoing development of new production series. Without our express permission, any form of exploitation and use of copyright for and from this publication is restricted solely to WEINMANN Emergency Medical Technology GmbH + Co. KG.

Do you have any questions?

Our Customer Service staff will be happy to help you.

Germany

WEINMANN Emergency
Medical Technology GmbH + Co. KG
Frohbösestraße 12
22525 Hamburg
Germany

T: +49 40 88 18 96-0
F: +49 40 88 18 96-480
T: +49 40 88 18 96-120 Customer Service
T: +49 40 88 18 96-122 After-Sales Service
E: info@weinmann-emt.de

Center for Production, Logistics, Service
WEINMANN Emergency
Medical Technology GmbH + Co. KG
Siebenstücken 14
24558 Henstedt-Ulzburg
Germany

China

Weinmann (Shanghai)
Medical Device Trading Co. Ltd.
T: +86 21 52 30 22 25
E: info@weinmann-emt.cn

U.A.E.

WEINMANN Emergency
Medical Technology GmbH + Co.KG (Branch)
T: +971 (0) 432 100 31
E: info-dubai@weinmann-emt.com

Frankreich

WEINMANN Emergency France SARL
T: +33 1 69 41 51 20
E: info@weinmann-emt.fr

Russia

Weinmann SPb GmbH – St. Petersburg
T: +7 812 633 30 82
E: info@weinmann-emt.ru

Singapore

Weinmann Singapur PTE, Ltd.
T: +65 65 09 44 30
E: info-singapore@weinmann-emt.sg

Spain

WEINMANN Emergency
Medical Technology GmbH + Co. KG
T: +34 91 79 01 137
E: info-spain@weinmann-emt.es



Table of content

Defibrillation + Monitoring	1
MEDUCORE Standard²	1
MEDUCORE Standard ² - Stand Alone Device	1
Options for MEDUCORE Standard ²	1
Accessories and Replacement Parts for MEDUCORE Standard ²	1
Exemplary configurations MEDUCORE Standard ² on LIFE-BASE	3
Protective Transport Bag with MEDUCORE Standard ²	5
MEDUCORE Standard	6
MEDUCORE Standard - Stand Alone Device with pulse oximetry	6
MEDUCORE Standard - Stand Alone Device without pulse oximetry	6
Options for MEDUCORE Standard	6
Accessories and Replacement Parts for MEDUCORE Standard	6
Exemplary configurations MEDUCORE Standard on LIFE-BASE	8
Protective Transport Bag with MEDUCORE Standard	14
Accessories and Replacement Parts for MEDUCORE Easy + Trainer	15
Devices	15
Devices NVG/NVIS compatible	27
Devices HBO compatible	27
Options, accessories and consumables	27
SpO ₂ (MASIMO-SET)	27
SpO ₂ (MASIMO Rainbow SET)	27
SpCO (MASIMO Rainbow SET)	28
SpMET (MASIMO Rainbow SET)	28
SpHB (MASIMO Rainbow SET)	29
Measurement of blood pressure (non-invasive)	29
Measurement of blood pressure (invasive)	30
Measurement of temperature	30
Capnography	31
Other options	31
Options for retrofitting	31
Software	32
Accessories for power supply	32

Accessories for vehicle, wall, stretcher and bed installation	33
Accessories defibrillator and pacemaker, including consumables	34
ECG accessories and consumables	34
Other accessories	35
Instructions for use	35
Certificates	36
corpuls 08/16 is discontinued	36
Options, accessories and consumables	36
Pulse oximetry	36
Measurement of blood pressure (non-invasive)	36
Measurement of blood pressure (invasive)	37
Measurement of temperature	37
Capnography	37
Data transfer	37
Other options	38
Software	38
Accessories defibrillator and pacemaker, including consumables	38
ECG accessories and consumables	39
Accessories for vehicle installation	39
Accessories for power supply	40
Adapter for stretcher and beds	40
Other accessories	40
Instructions for use	41
Other consumables	41

Defibrillation + Monitoring

MEDUCORE Standard²

MEDUCORE Standard² - Stand Alone Device

WM 45300-0000 MEDUCORE Standard², monitor/defibrillator for semi-automatic defibrillation, 6-lead ECG monitoring, non-invasive blood pressure measurement and pulse oximetry incl.
Rechargeable battery (WM 45045),
Defibrillation electrodes for adults (WM 45418),
ECG cable, 2 m, ERC (WM 45451),
ECG cable separator (WM 45450),
ECG electrodes for adults and children (50 pieces) (WM 45201),
SoftTip®- pulse oximetry sensor, size M, reusable (WM 45432),
Pulse oximetry sensor connection cable for MEDUCORE Standard² (WM 45430),
NIBP cuff, adult, for 28-40 cm upper arm circumference, reusable (WM 45464),
NIBP cuff connector tube, 2 m (WM 45481),
Trunk cable (WM 45397),
Resistor for function test (WM 45428),
SD card, 32 GB (WM 39510),
Instructions for Use MEDUCORE Standard² (WM 68200),
Book of medical devices (WM 16430),
Delivery record MEDUCORE (WM 67395)

Options for MEDUCORE Standard²

WM 45499 Manual defibrillation option for MEDUCORE Standard²

Accessories and Replacement Parts for MEDUCORE Standard²

WM 45418 Defibrillation electrodes for adults for MEDUCORE Standard²

WM 45419 Defibrillation electrodes for children for MEDUCORE Standard²

WM 45397 Trunk cable for MEDUCORE Standard²

WM 45428 Function test resistor for MEDUCORE Standard²

WM 45451 ECG cable, 2 m, ERC, for MEDUCORE Standard²

WM 45453 ECG cable, 2 m, AHA, for MEDUCORE Standard²

WM 45452 ECG cable, 3 m, ERC, for MEDUCORE Standard²

WM 45454 ECG cable, 3 m, AHA, for MEDUCORE Standard²

WM 45450 ECG cable separator

WM 45201 ECG electrodes for adults and children (50 pieces)

WM 45430 Pulse oximetry sensor connection cable for MEDUCORE Standard²

WM 45431 SoftTip® pulse oximetry sensor, size S, reusable, for MEDUCORE Standard²

WM 45432 SoftTip® pulse oximetry sensor, size M, reusable, for MEDUCORE Standard²

WM 45433 SoftTip® pulse oximetry sensor, size L, reusable,

	for MEDUCORE Standard ²
WM 45434	Wrap pulse oximetry sensor, reusable, for MEDUCORE Standard ²
WM 45435	Ear clip pulse oximetry sensor, reusable, for MEDUCORE Standard ²
WM 45442	Set of 10 fastening straps for wrap sensor
WM 45443	Set of 5 hooks for ear clip sensor
WM 45437	Set of 24 pulse oximetry sensors, infants, disposable, for MEDUCORE Standard ²
WM 45439	Set of 24 pulse oximetry sensors pediatric, disposable, for MEDUCORE Standard ²
WM 45436	Set of 24 pulse oximetry sensors adult, disposable, for MEDUCORE Standard ²
WM 45481	NIBP connecting tube, 2 m
WM 45482	NIBP cuff connector tube, 3 m
WM 45460	NIBP cuff, infant, for 8-13 cm upper arm upper arm circumference, reusable
WM 45461	NIBP cuff, child, for 12-19 cm upper arm upper arm circumference, reusable
WM 45462	NIBP cuff, small adult, for 17-25 cm upper arm circumference, reusable
WM 45463	NIBP cuff, adult, for 23-33 cm upper arm circumference, reusable
WM 45464	NIBP cuff, adult plus, for 28-40 cm upper arm circumference, reusable
WM 45465	NIBP cuff, large adult plus, for 40-55 cm upper arm circumference, reusable
WM 45466	NIBP cuff, thigh, adult, for 38-50 cm thigh circumference, reusable
WM 45467	Adapter tube for connection of NIBP disposable cuffs for neonates
WM 45468	Set of 20 NIBP cuffs, neonate, size 1, for 3-6 cm upper arm circumference, disposable
WM 45469	Set of 20 NIBP cuffs, neonate, size 2, for 4-8 cm upper arm circumference, disposable
WM 45470	Set of 20 NIBP cuffs, neonate, size 3, for 6-11 cm upper arm circumference, disposable
WM 45471	Set of 20 NIBP cuffs, neonate, size 4, for 7-13 cm upper arm circumference, disposable
WM 45472	Set of 20 NIBP cuffs, neonate, size 5, for 8-15 cm upper arm circumference, disposable
WM 45473	Set of 20 NIBP cuffs, infant, for 8-13 cm upper arm circumference, short-term use
WM 45474	Set of 20 NIBP cuffs, child, for 12-19 cm upper arm circumference, short-term use
WM 45475	Set of 20 NIBP cuffs, small adult, for 17-25 cm upper arm circumference, short-term use
WM 45476	Set of 20 NIBP cuffs, adult, for 23-33 cm upper arm circumference, short-term use
WM 45477	Set of 20 NIBP cuffs, adult plus, for 28-40 cm upper arm circumference, short-term use

WM 45478	Set of 20 NIBP cuffs, large adult plus, for 40-55 cm upper arm circumference, short-term use
WM 45479	Set of 20 NIBP cuffs, thigh, adult, for 38-50 cm thigh circumference, short-term use
WM 39510	SD card, 32 GB
WM 17806	Set of fastening elements for LIFE-BASE with either MEDUCORE Standard ² or MEDUMAT Standard ²
WM 45444	ECG Simulator, 6-lead ECG, shockable, for MEDUCORE Standard ²
WM 45424	Adapter cable for connecting MEDUCORE Standard ² to Laerdal/Ambu CPR training manikin
WM 45120	DEFIview, PC-Software for MEDUCORE Standard
WM 45045	Rechargeable battery for MEDUCORE Standard ² , MEDUCORE Standard and MEDUMAT Standard ²
WM 45190-0000	Charging station for rechargeable battery pack for MEDUCORE Standard ² , MEDUCORE Standard und MEDUMAT Standard WM 45045
WM 28937-0000	Power supply unit and charger, 100 W for MEDUMAT & MEDUCORE
WM 28979	Charging adapter MAG to charge MEDUMAT Standard ² or MEDUCORE Standard ² with power supply unit or 12V adapter cable
WM 28356	Adapter cable 12 V on-board power supply/ODU-Socket
WM 45490	Protective transport bag for MEDUCORE Standard ²
WM 9714	Adapter plate for protective transport bag for MEDUCORE Standard ²
WM 15920	Installation set, standard hospital rails for MEDUCORE Standard protective bag (WM 45170) and MEDUCORE Standard ² (WM 45490, WM 9714)
WM 15921	Installation set, for pole mount Ø 19- 40 mm for protective transport bag for MEDUCORE Standard (WM 45170) and MEDUCORE Standard ² (WM 45490, WM 9714)
Exemplary configurations MEDUCORE Standard² on LIFE-BASE	
WM 9910-0000	MEDUCORE Standard ² on LIFE-BASE 1 NG XS Major components of supply schedule: MEDUCORE Standard ² , monitor/defibrillator for semi-automatic defibrillation, 6-lead ECG monitoring, non-invasive blood pressure measurement and pulse oximetry (WM 45300), LIFE-BASE 1 NG XS with charging interface (WM 9871), Adapter LIFE-BASE 1 NG XS for MEDUMAT/MEDUCORE Standard ² (WM 9713), Shoulder strap for LIFE-BASE 1 NG XS (WM 9879), Protective bag LIFE-BASE 1 NG XS for MEDUCORE Standard ² (WM 9726)
WM 9912-0000	MEDUCORE Standard ² on LIFE-BASE 1 NG XL Major components of supply schedule: MEDUCORE Standard ² , monitor/defibrillator for semi-automatic defibrillation, 6-lead

ECG monitoring, non-invasive blood pressure measurement and pulse oximetry (WM 45300), LIFE-BASE 1 NG XL with charging interface (WM 8277),
Adapter LIFE-BASE 1NG XL/3NG for MEDUMAT/MEDUCORE Standard² MEDUMAT Easy CPR/MODUL (WM 9711),
Shoulder strap (WM 8298),
Protective bag incl. accessory bag for LIFE-BASE 1 NG XL with MEDUCORE Standard²/Standard and MEDUMAT Standard²/Standard a/Easy CPR incl. two tension belts for fastening of the patient hose system (WM 9716),
Inside accessory bag (WM 8274)

WM 9914-0000

MEDUMAT Easy CPR with MEDUCORE Standard² on LIFE-BASE 1 NG XL

Major components of supply schedule:
MEDUMAT Easy CPR emergency ventilator, with voice prompts for user guidance for controlled ventilation (IPPV) with CPR mode, demand flow mode (WM 28140),
MEDUCORE Standard², monitor/defibrillator for semi-automatic defibrillation, 6-lead ECG monitoring, non-invasive blood pressure measurement and pulse oximetry (WM 45300), LIFE-BASE 1 NG XL with charging interface (WM 8277),
Adapter LIFE-BASE 1NG XL/3NG für MEDUMAT/MEDUCORE Standard², MEDUMAT Easy CPR/MODUL (WM 9711),
Shoulder strap (WM 8298),
Protective bag incl. accessory bag for LIFE-BASE 1 NG XL with MEDUCORE Standard²/Standard and MEDUMAT Standard²/Standard a/Easy CPR incl. two tension belts for fastening of the patient hose system (WM 9716)

WM 9913-0000

MEDUMAT Standard² with MEDUCORE Standard² on LIFE-BASE 1 NG XL

Major components of supply schedule:
MEDUMAT Standard² emergency ventilator with CPR mode, RSI mode, CPAP mode, IPPV mode and demand mode (WM 29300),
MEDUCORE Standard², monitor/defibrillator for semi-automatic defibrillation, 6-lead ECG monitoring, non-invasive blood pressure measurement and pulse oximetry (WM 45300), LIFE-BASE 1 NG XL with charging interface (WM 9916),
Adapter LIFE-BASE 1NG XL/3NG for MEDUMAT/MEDUCORE Standard² MEDUMAT Easy CPR/MODUL (WM 9711),
Shoulder strap (WM 8298),
Protective bag incl. accessory bag for LIFE-BASE 1 NG XL with MEDUCORE Standard²/Standard and MEDUMAT Standard²/Standard a/Easy CPR incl. two tension belts for fastening of the patient hose system (WM 9716)

WM 9930-0000

MEDUCORE Standard² on LIFE-BASE 3 NG

Major components of supply schedule:
MEDUCORE Standard², monitor/defibrillator for

semi-automatic defibrillation, 6-lead ECG monitoring, non-invasive blood pressure measurement and pulse oximetry (WM 45300), LIFE-BASE 3 NG with charging interface (WM 9937), Adapter LIFE-BASE 1NG XL/3NG for MEDUMAT/MEDUCORE Standard² MEDUMAT Easy CPR/MODUL (WM 9711), Shoulder strap (WM 8298), Protective bag incl. accessory bag for LIFE-BASE 3 NG with MEDUCORE Standard²/Standard and MEDUMAT Standard²/Standard a/Easy CPR (WM 9721), Inside accessory bag (WM 8274), OXYWAY Fast I (WM 30801), 2 l oxygen cylinder, empty (WM 1822-02)

WM 9932-0000 MEDUMAT Easy CPR with MEDUCORE Standard² on LIFE-BASE 3 NG

Major components of supply schedule:
MEDUMAT Easy CPR emergency ventilator, with voice prompts for user guidance for controlled ventilation (IPPV) with CPR mode, demand flow mode (WM 28140), MEDUCORE Standard², monitor/defibrillator for semi-automatic defibrillation, 6-lead ECG monitoring, non-invasive blood pressure measurement and pulse oximetry (WM 45300), LIFE-BASE 3 NG with charging interface (WM 9937), Adapter LIFE-BASE 1NG XL/3NG für MEDUMAT/MEDUCORE Standard² MEDUMAT Easy CPR/MODUL (WM 9711), Tragegurt (WM 8298), Schutztasche inkl. Zubehörtasche für LIFE-BASE 3 NG mit MEDUCORE Standard²/Standard und MEDUMAT Standard²/Standard a/Easy CPR (WM 9721), OXYWAY Fast II (WM 33811), T-shaped distributor with check valve (WM 8220), 2 l oxygen cylinder, empty (WM 1822-02)

WM 9931-0000 MEDUMAT Standard² with MEDUCORE Standard² on LIFE-BASE 3 NG

Major components of supply schedule:
MEDUMAT Standard² emergency ventilator with CPR mode, RSI mode, CPAP mode, IPPV mode and demand mode (WM 29300), MEDUCORE Standard², monitor/defibrillator for semi-automatic defibrillation, 6-lead ECG monitoring, non-invasive blood pressure measurement and pulse oximetry (WM 45300), LIFE-BASE 3 NG with charging interface (WM 9936), Adapter LIFE-BASE 1NG XL/3NG für MEDUMAT/MEDUCORE Standard² MEDUMAT Easy CPR/MODUL (WM 9711), Tragegurt (WM 8298), Schutztasche inkl. Zubehörtasche für LIFE-BASE 3 NG mit MEDUCORE Standard²/Standard und MEDUMAT Standard²/Standard a/Easy CPR (WM 9721), OXYWAY Fast II (WM 33811), T-shaped distributor with check valve (WM 8220), 2 l oxygen cylinder, empty (WM 1822-02)

Protective Transport Bag with MEDUCORE Standard²

WM 9900-0000 MEDUCORE Standard² in protective transport bag

Major components of supply schedule:
MEDUCORE Standard², monitor/defibrillator for semi-automatic defibrillation, 6-lead ECG monitoring, non-invasive blood pressure measurement and pulse oximetry (WM 45300), Protective transport bag for MEDUCORE Standard² (WM 45490), Adapter for protective transport bag for MEDUCORE Standard² (WM 9714)

MEDUCORE Standard

MEDUCORE Standard - Stand Alone Device with pulse oximetry

WM 45000-0000 MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation, 1-channel ECG monitoring and pulse oximetry
incl.
Rechargeable battery (WM 45045),
Defibrillation electrodes for adults (WM 40116),
ECG cable, 2 m, ERC (WM 45150),
ECG electrodes for adults and children (50 pieces) (WM 45201),
SoftTip®- pulse oximetry sensor, size M, reusable (WM 45127),
Pulse oximetry sensor connection cable (WM 45152),
SD card, 2 GB (WM 29791),
Set of fastening elements (WM 15785),
Instructions for Use MEDUCORE Standard (WM 67350),
Book of medical devices (WM 16430),
Delivery record MEDUCORE (WM 67395)

MEDUCORE Standard - Stand Alone Device without pulse oximetry

WM 45005-0000 MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation and 1-channel ECG monitoring
incl.
Rechargeable battery (WM 45045),
Defibrillation electrodes for adults (WM 40116),
ECG cable, 2 m, ERC (WM 45150),
ECG electrodes for adults and children (50 pieces) (WM 45201),
SD card, 2 GB (WM 29791),
Set of fastening elements (WM 15785),
Instructions for Use MEDUCORE Standard (WM 67350),
Book of medical devices (WM 16430),
Delivery record MEDUCORE (WM 67395)

Options for MEDUCORE Standard

WM 45157 Manual defibrillation option for MEDUCORE Standard
WM 45158 6-channel ECG option for MEDUCORE Standard

Accessories and Replacement Parts for MEDUCORE Standard

WM 40116 Defibrillation electrodes for adults for MEDUCORE Standard and MEDUCORE Easy
WM 45171 Defibrillation electrodes for children for MEDUCORE Standard

WM 45201	ECG electrodes for adults and children (50 pieces)
WM 45150	ECG cable, 2 m, ERC, for MEDUCORE Standard
WM 45173	ECG cable, 2 m, AHA, for MEDUCORE Standard
WM 45152	Pulse oximetry sensor connection cable for MEDUCORE Standard
WM 45126	SoftTip® pulse oximetry sensor, size S, reusable, for MEDUCORE Standard
WM 45127	SoftTip® pulse oximetry sensor, size M, reusable, for MEDUCORE Standard
WM 45128	SoftTip® pulse oximetry sensor, size L, reusable, for MEDUCORE Standard
WM 45188	Wrap pulse oximetry sensor, reusable, for MEDUCORE Standard
WM 45189	Ear-clip pulse oximetry sensor for MEDUCORE Standard
WM 45442	Set of 10 fastening straps for wrap sensor
WM 45443	Set of 5 hooks for ear clip sensor
WM 29791	SD card, 2 GB
WM 45170	Protective transport bag for MEDUCORE Standard, complete incl. Protective transport bag for MEDUCORE Standard (WM 45239), Holding plate (WM 45168), Adapter cable for power supply (WM 45241)
WM 45239	Protective transport bag for MEDUCORE Standard, basic device
WM 45168	Adapter for protective transport bag for MEDUCORE Standard
WM 45241	Adapter cable for power supply for protective transport bag for MEDUCORE Standard
WM 28356	Adapter cable 12 V on-board power supply/ODU-Socket
WM 15920	Installation set, standard hospital rails for MEDUCORE Standard protective bag (WM 45170) and MEDUCORE Standard ² (WM 45490, WM 9714)
WM 15921	Installation set, for pole mount Ø 19- 40 mm for protective transport bag for MEDUCORE Standard (WM 45170) and MEDUCORE Standard ² (WM 45490, WM 9714)
WM 45045	Rechargeable battery for MEDUCORE Standard ² , MEDUCORE Standard and MEDUMAT Standard ²
WM 45190-0000	Charging station for rechargeable battery pack for MEDUCORE Standard ² , MEDUCORE Standard und MEDUMAT Standard WM 45045
WM 15785	Set of fastening elements for MEDUCORE Standard
WM 45007	ECG Simulator, 6-lead ECG, shockable, for MEDUCORE Standard
WM 45236	Adapter cable for connecting MEDUCORE Standard to Laerdal/Ambu CPR training manikin
WM 45423	Trunk cable for MEDUCORE Standard to connect MEDUCORE Standard ² defibrillation electrodes

WM 45120	DEFIview, PC-Software for MEDUCORE Standard
	Exemplary configurations MEDUCORE Standard on LIFE-BASE
WM 9882-0000	MEDUCORE Standard on LIFE-BASE 1 NG XS
	Major components of supply schedule: MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation and 1-channel ECG monitoring (WM 45005), LIFE-BASE 1 NG XS with charging interface for MEDUCORE Standard (WM 9881), Adapter LIFE-BASE 1 NG XS for MEDUMAT Standard ² or MEDUCORE Standard (WM 9878), Protective bag LIFE-BASE 1 NG XS for MEDUCORE Standard (WM 9886)
WM 9883-0000	MEDUCORE Standard with pulse oximetry on LIFE-BASE 1 NG XS
	Major components of supply schedule: MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation, 1-channel ECG monitoring and pulse oximetry (WM 45000), LIFE-BASE 1 NG XS with charging interface for MEDUCORE Standard (WM 9881), Adapter LIFE-BASE 1 NG XS for MEDUMAT Standard ² or MEDUCORE Standard (WM 9878), Protective bag LIFE-BASE 1 NG XS for MEDUCORE Standard (WM 9886)
WM 9735-0000	MEDUCORE Standard on LIFE-BASE 1 NG XL
	Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation and 1-channel ECG monitoring (WM 45005), LIFE-BASE 1 NG XL with charger interface (WM 9674), Adapter LIFE-BASE 1NG XL/3NG for MEDUCORE Standard and MEDUMAT Easy/Easy CPR/Standard/Standard a (WM 9682), Protective bag II LIFE-BASE 1 NG XL (WM 9692), Inner accessories bag (WM 8274), Shoulder strap (WM 8298)
WM 9720-0000	MEDUCORE Standard with pulse oximetry on LIFE-BASE 1 NG XL
	Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation, 1-channel ECG monitoring and pulse oximetry (WM 45000), LIFE-BASE 1 NG XL with charger interface (WM 9674), Adapter LIFE-BASE 1NG XL/3NG for MEDUCORE Standard and MEDUMAT Easy/EasyCPR/Standard/Standard a (WM 9682), Protective bag II LIFE-BASE 1 NG XL (WM 9692), Inner accessories bag (WM 8274), Shoulder strap (WM 8298)
WM 9740-0000	MEDUMAT Easy CPR with MEDUCORE Standard on LIFE-BASE 1 NG XL
	Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation and 1-channel ECG

	<p>monitoring (WM 45005), MEDUMAT Easy CPR, Ventilator (WM 28140), LIFE-BASE 1 NG XL with charger interface (WM 9674), Adapter LIFE-BASE 1NG XL/3NG for MEDUCORE Standard and MEDUMAT Easy/Easy CPR/Standard/Standard a (WM 9682), Protective bag II LIFE BASE 1 NG XL (WM 9692), Accessories bag MEDUCORE for LIFE-BASE 1 NG XL (WM 9689), Accessories bag MEDUMAT for LIFE-BASE 1NG XL (WM 9691), Shoulder strap (WM 8298)</p>
WM 9725-0000	<p>MEDUMAT Easy CPR with MEDUCORE Standard with pulse oximetry on LIFE-BASE 1 NG XL</p> <p>Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation, 1-channel ECG monitoring and pulse oximetry (WM 45000), MEDUMAT Easy CPR, Ventilator (WM 28140), LIFE-BASE 1 NG XL with charger interface (WM 9674), Adapter LIFE-BASE 1NG XL/3NG for MEDUCORE Standard and MEDUMAT Easy/Easy CPR/Standard/Standard a (WM 9682), Protective bag II LIFE BASE 1 NG XL (WM 9692), Accessories bag MEDUCORE for LIFE-BASE 1 NG XL (WM 9689), Accessories bag MEDUMAT for LIFE-BASE 1NG XL (WM 9691), Shoulder strap (WM 8298)</p>
WM 9745-0000	<p>MEDUMAT Standard a with MEDUCORE Standard on LIFE-BASE 1 NG XL</p> <p>Major component in supply schedule: MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation and 1-channel ECG monitoring (WM 45005), MEDUMAT Standard a, Ventilator (WM 22800), LIFE-BASE 1 NG XL with charger interface (WM 9674), Adapter LIFE-BASE 1NG XL/3NG for MEDUCORE Standard and MEDUMAT Easy/EasyCPR/ Standard/Standard a (WM 9682), Protective bag II LIFE-BASE 1 NG XL (WM 9692), Accessories bag MEDUCORE for LIFE-BASE 1 NG XL (WM 9689), Accessories bag MEDUMAT for LIFE-BASE 1 NG XL (WM 9691), Shoulder strap (WM 8298)</p>
WM 9730-0000	<p>MEDUMAT Standard a with MEDUCORE Standard with pulse oximetry on LIFE-BASE 1 NG XL</p> <p>Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation, 1-channel ECG monitoring and pulse oximetry (WM 45000), MEDUMAT Standard a, Ventilator (WM 22800), LIFE-BASE 1 NG XL with charger interface (WM 9674), Adapter LIFE-BASE 1NG XL/3NG for MEDUCORE Standard and MEDUMAT Easy/Easy CPR/Standard</p>

	<p>/Standard a (WM 9682), Protective bag II LIFE-BASE 1 NG XL (WM 9692), Accessories bag MEDUCORE for LIFE-BASE 1 NG XL (WM 9689), Accessories bag MEDUMAT for LIFE-BASE 1 NG XL (WM 9691), Shoulder strap (WM 8298)</p>
WM 9405-0000	<p>MEDUMAT Standard² with MEDUCORE Standard with pulse oximetry on LIFE-BASE 1 NG XL Major components of supply schedule: MEDUMAT Standard², Ventilator (WM 29300), MEDUCORE Standard, monitor/defibrillator with pulse oximetry (WM 45000), 6-channel ECG option (WM 45158), Manual defibrillation option (WM 45157), Portable system LIFE-BASE 1 NG XL with charging interface(WM 8278), Adapter LIFE-BASE 1 NG XL for holding MEDUCORE Standard and MEDUMAT Standard²/Easy/Easy CPR/Standard/Standard a (WM 9682), protective bag II LIFE BASE 1 NG XL (WM 9692), Accessories bag MEDUCORE Standard for LIFE-BASE 1 NG XL (WM 9689), accessories bag MEDUMAT for LIFE-BASE 1 NG XL (WM 9691), shoulder strap (WM 8298)</p>
WM 9420-0000	<p>MEDUCORE Standard on LIFE-BASE 3 NG Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator (WM 45005), 2-liter oxygen cylinder, empty (WM 1822-02), OXYWAY Fast II (WM 31821), Portable system LIFE-BASE 3 NG for MEDUCORE Standard with charger interface, pre-assembled (WM 8281), Adapter LIFE-BASE 1 NG XL/3 NG for holding MEDUCORE Standard, MEDUMAT Standard²/Easy/Easy CPR Standard/Standard a (WM 9682), Protective bag LIFE BASE 3 NG (WM 8267), Inner accessories bag for LIFE-BASE 1 NG XL and LIFE-BASE 3 NG, PVC-coated (WM 8274), shoulder strap (WM 8298)</p>
WM 9435-0000	<p>MEDUCORE Standard with pulse oximetry on LIFE-BASE 3 NG Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator with pulse oximetry (WM 45000), 2-liter oxygen cylinder, empty (WM 1822-02), OXYWAY Fast II (WM 31821), Portable system LIFE-BASE 3 NG for MEDUCORE Standard with charger interface, pre-assembled (WM 8281), Adapter LIFE-BASE 1 NG XL/3 NG for holding MEDUCORE Standard, MEDUMAT Standard²/Easy/Easy CPR /Standard/Standard a (WM 9682), Protective bag LIFE BASE 3 NG (WM 8267), Inner accessories bag for LIFE-BASE 1 NG XL and LIFE-BASE 3 NG, PVC-coated (WM 8274), shoulder strap (WM 8298)</p>
WM 9440-0000	<p>MEDUMAT Easy CPR with MEDUCORE Standard</p>

with pulse oximetry on LIFE-BASE 3 NG

Major components in supply schedule:
 MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation, 1-channel ECG monitoring and pulse oximetry (WM 45000),
 MEDUMAT Easy CPR, Ventilator (WM 28140),
 2-liter oxygen cylinder, empty (WM 1822-02),
 OXYWAY Fast II (WM 31861),
 T-shaped distributor (WM 8220),
 LIFE-BASE 3 NG with charger interface (WM 8281),
 Adapter LIFE-BASE 1 NG XL/3 NG for MEDUCORE Standard, MEDUMAT Standard²/Easy/Easy CPR/Standard/Standard a (WM 9682),
 Protective bag LIFE BASE 3 NG (WM 8267),
 Accessories bag MEDUCORE LIFE-BASE 3 NG (WM 8272),
 Accessories bag MEDUMAT LIFE-BASE 3 NG (WM 8273),
 Shoulder strap (WM 8298)

WM 9425-0000 MEDUMAT Easy CPR with MEDUCORE Standard on LIFE-BASE 3 NG

Major components in supply schedule:
 MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation and 1-channel ECG monitoring (WM 45005),
 MEDUMAT Easy CPR, ventilator (WM 28140),
 2-liter oxygen cylinder, empty (WM 1822-02),
 OXYWAY Fast II (WM 31861),
 T-shaped distributor (WM 8220),
 LIFE-BASE 3 NG with charger interface (WM 8281),
 Adapter LIFE-BASE 1 NG XL/3 NG for MEDUCORE Standard, MEDUMAT Standard²/Easy/Easy CPR/Standard/Standard a (WM 9682),
 Protective bag LIFE BASE 3 NG (WM 8267),
 Accessories bag MEDUCORE LIFE-BASE 3 NG (WM 8272),
 Accessories bag MEDUMAT LIFE-BASE 3 NG (WM 8273),
 Shoulder strap (WM 8298)

WM 9445-0000 MEDUMAT Standard a with MEDUCORE Standard with pulse oximetry on LIFE-BASE 3 NG

Major components in supply schedule:
 MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation, 1-channel ECG monitoring and pulse oximetry (WM 45000),
 MEDUMAT Standard a, ventilator (WM 22800),
 2-liter oxygen cylinder, empty (WM 1822-02),
 OXYWAY Fast II (WM 31861),
 T-shaped distributor (WM 8220),
 LIFE-BASE 3 NG with charger interface (WM 8281),
 Adapter LIFE-BASE 1 NG XL/3 NG for MEDUCORE Standard, MEDUMAT Standard²/Easy/Easy CPR/Standard/Standard a (WM 9682),
 Protective bag LIFE BASE 3 NG (WM 8267),
 Accessories bag MEDUCORE LIFE-BASE 3 NG (WM 8272),
 Accessories bag MEDUMAT LIFE-BASE 3 NG (WM 8273),
 Shoulder strap (WM 8298)

WM 9430-0000 MEDUMAT Standard a with MEDUCORE Standard on LIFE-BASE 3 NG

Major components in supply schedule:
 MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation and 1-channel ECG monitoring (WM 45005),
 MEDUMAT Standard a, ventilator (WM 22800),
 2-liter oxygen cylinder, empty (WM 1822-02),
 OXYWAY Fast II (WM 31861),
 T-shaped distributor (WM 8220),
 LIFE-BASE 3 NG with charger interface (WM 8281),
 Adapter LIFE-BASE 1 NG XL/3 NG for MEDUCORE Standard, MEDUMAT Standard²/Easy/Easy CPR/Standard/Standard a (WM 9682),
 Protective bag LIFE BASE 3 NG (WM 8267),
 Accessories bag MEDUCORE LIFE-BASE 3 NG (WM 8272),
 Accessories bag MEDUMAT LIFE-BASE 3 NG (WM 8273),
 Shoulder strap (WM 8298)

WM 9415-0000 MEDUMAT Standard² with MEDUCORE Standard with pulse oximetry on LIFE-BASE 3 NG

Major components of supply schedule:
 MEDUMAT Standard², ventilator (WM 29300),
 MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation, 1-channel ECG monitoring and pulse oximetry (WM 45000),
 6-channel ECG option (WM 45158),
 Manual defibrillation option (WM 45157),
 2-liter oxygen cylinder, empty (WM 1822-02),
 OXYWAY Fast II (WM 33811),
 T-shape (WM 8220),
 LIFE-BASE 3 NG with charging interface (WM 8276),
 Adapter LIFE-BASE 1 NG XL/3 NG for MEDUCORE Standard and MEDUMAT Standard²/Easy/EasyCPR/Standard/Standard a (WM 9682),
 Protective bag LIFE-BASE 3 NG (WM 8267),
 Accessories bag MEDUCORE Standard for LIFE-BASE 3 NG (WM 8272),
 Accessories bag MEDUMAT for LIFE-BASE 3 NG (WM 8273),
 Shoulder strap (WM 8298)

WM 9705-0000 MEDUCORE Standard on LIFE-BASE 4 NG
 Major components in supply schedule:
 MEDUCORE Standard, monitor/defibrillator (WM 45005),
 2-liter oxygen cylinder, empty (WM 1822-02),
 OXYWAY Fast II (WM 30891),
 Portable system LIFE-BASE 4 NG for MEDUCORE Standard with charger interface, pre-assembled (WM 9698),
 Protective bag II LIFE BASE 4 NG (WM 9685),
 Inner accessories bag for LIFE BASE, PVC-coated (WM 8022) and shoulder strap (WM 8298)

WM 9690-0000 MEDUCORE Standard with pulse oximetry on LIFE-BASE 4 NG
 Major components in supply schedule:
 MEDUCORE Standard, monitor/defibrillator with pulse oximetry (WM 45000),
 2-liter oxygen cylinder, empty (WM 1822-02),
 OXYWAY Fast II (WM 30891),
 Portable system LIFE-BASE 4 NG for MEDUCORE Standard with charger interface, pre-assembled (WM 9698),

	<p>Protective bag II LIFE-BASE 4 NG (WM 9685), Inner accessories bag for LIFE BASE, PVC-coated (WM 8022) and shoulder strap (WM 8298)</p>
WM 9710-0000	<p>MEDUMAT Easy CPR with MEDUCORE Standard on LIFE-BASE 4 NG Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator (WM 45005), MEDUMAT Easy CPR, ventilator (WM 28140), 2-liter oxygen cylinder, empty (WM 1822-02), OXYWAY Fast II (WM 30891), T-shaped distributor (WM 8220), Portable system LIFE-BASE 4 NG for MEDUCORE Standard with charger interface, pre-assembled (WM 9698), Protective bag II LIFE BASE 4 NG (WM 9685), Accessories bag MEDUCORE LIFE-BASE 4 NG (WM 9679), Accessories bag MEDUMAT LIFE-BASE 4 NG (WM 9681) and shoulder strap (WM 8298)</p>
WM 9695-0000	<p>MEDUMAT Easy CPR with MEDUCORE Standard with pulse oximetry on LIFE-BASE 4 NG Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator with pulse oximetry (WM 45000), MEDUMAT Easy CPR, ventilator (WM 28140), 2-liter oxygen cylinder, empty (WM 1822-02), OXYWAY Fast II (WM 30891), T-shaped distributor (WM 8220), Portable system LIFE-BASE 4 NG for MEDUCORE Standard with charger interface, pre-assembled (WM 9698), Protective bag II LIFE BASE 4 NG (WM 9685), Accessories bag MEDUCORE LIFE-BASE 4 NG (WM 9679), Accessories bag MEDUMAT LIFE-BASE 4 NG (WM 9681) and shoulder strap (WM 8298)</p>
WM 9715-0000	<p>MEDUMAT Standard a with MEDUCORE Standard on LIFE-BASE 4 NG Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator (WM 45005), MEDUMAT Standard a, ventilator (WM 22800), 2-liter oxygen cylinder, empty (WM 1822-02), OXYWAY Fast II (WM 30891), T-shaped distributor (WM 8220), Portable system LIFE-BASE 4 NG for MEDUCORE Standard with charger interface, pre-assembled (WM 9698), Protective bag II LIFE BASE 4 NG (WM 9685), Accessories bag MEDUCORE LIFE-BASE 4 NG (WM 9679), Accessories bag MEDUMAT LIFE-BASE 4 NG (WM 9681) and shoulder strap (WM 8298)</p>
WM 9700-0000	<p>MEDUMAT Standard a with MEDUCORE Standard with pulse oximetry on LIFE-BASE 4 NG Major components in supply schedule: MEDUCORE Standard, monitor/defibrillator with pulse oximetry (WM 45000), MEDUMAT Standard a, ventilator (WM 22800), 2-liter oxygen cylinder, empty (WM 1822-02), OXYWAY Fast II (WM 30891), T-shaped distributor (WM 8220), Portable system LIFE-BASE 4 NG for MEDUCORE Standard with charger interface, pre-assembled</p>

(WM 9698),
Protective bag II LIFE BASE 4 NG (WM 9685),
Accessories bag MEDUCORE LIFE-BASE 4 NG (WM 9679),
Accessories bag MEDUMAT LIFE-BASE 4 NG (WM 9681) and shoulder strap (WM 8298)

WM 9785-0000 MEDUMAT Standard² with MEDUCORE Standard with pulse oximetry on LIFE-BASE 4 NG
Major components in supply schedule:
MEDUMAT Standard², ventilator (WM 29300),
MEDUCORE Standard, monitor/defibrillator with pulse oximetry (WM 45000),
6-channel ECG option (WM 45158),
Manual defibrillation option (WM 45157),
2-liter oxygen bottle, empty (WM 1822-02),
Oxygen bottle clamp 105 mm, OXYWAY Fast II (WM 33811),
T-shaped distributor (WM 8220),
Portable system LIFE-BASE 4 NG with distributor box and charger interface, pre-assembled (WM 9708),
protective bag II LIFE-BASE 4 NG, complete (WM 9685)
and shoulder strap (WM 8298)

WM 9790-0000 MEDUMAT Standard² with MEDUCORE Standard with pulse oximetry on LIFE-BASE 4 NG
Major components in supply schedule:
MEDUMAT Standard² ventilator (WM 29300),
MEDUCORE Standard, monitor/defibrillator with pulse oximetry (WM 45000),
6-channel ECG option (WM 45158),
Manual defibrillation option (WM 45157),
2.5-liter oxygen bottle, empty (WM 1838-02),
Oxygen bottle clamp 115, OXYWAY Fast II (WM 33811),
T-shaped distributor (WM 8220),
Portable system LIFE-BASE 4 NG with distributor box and charger interface, pre-assembled (WM 9707),
protective bag II LIFE-BASE 4 NG, complete (WM 9685)
and shoulder strap (WM 8298)

Protective Transport Bag with MEDUCORE Standard

WM 45215-0000 MEDUCORE Standard in protective transport bag

Major components in supply schedule :
MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation and 1-channel ECG monitoring (WM 45005),
Protective transport bag for MEDUCORE Standard (WM 45170),
Adapter for protective transport bag for MEDUCORE Standard (WM 45168)

For charging the battery a power supply unit is needed.

WM 45210-0000 MEDUCORE Standard with pulse oxymetrie in protective transport bag
Major components in supply schedule:
MEDUCORE Standard, monitor/defibrillator for semi-automatic defibrillation, 1-channel ECG

monitoring and pulse oximetry (WM 45000),
Protective transport bag for MEDUCORE Standard
(WM 45170),
Adapter for protective transport bag for
MEDUCORE Standard (WM 45168)

For charging the battery a power supply unit is
needed.

Accessories and Replacement Parts for MEDUCORE Easy + Trainer

WM 40116 Defibrillation electrodes for adults for MEDUCORE
Standard and MEDUCORE Easy

WM 15460 AED emergency set consisting of:
scissors, ventilation cloth, disposable razor

Devices

WM 3GS04100 Monitoring unit
with printer corpuls3

WM 3GS04200 Patient box corpuls³
incl. corPatch CPR, 12-lead
ECG and CompactFlash(TM) interface

WM 3GS04300 Defibrillator/Pacer unit
corpuls3

WM 3GS04301 Defibrillator/Pacer unit
slim corpuls3

WM 3GS011000 corpuls³ Monitor-/Defibrillator System, incl. Pacer,
AED- and manual Mode, corPatch CPR, 12-
Lead-ECG, Printer and functional Accessories incl. Mains Charger
consisting of:
Monitoring unit with printer (WM 3GS04100),
Protective foil display corpuls 3 (WM
3GS70710.01100),
Patient box incl. corPatch CPR, 12-lead ECG and
CompactFlash(TM) interface (WM 3GS04200),
Defibrillator-/Pacer unit (WM 3GS04300),
corPatch easy - defibrillation/pacing electrodes
with cable (WM 3GS04324.3),
corPatch CPR disposable sensor adults and
children > 20 kg (WM 3GS04235.2),
corPatch CPR intermediate cable 1.0 m (11p.
Sub-D) (WM 3GS04235.0),
Paddles (2 pieces incl. connection cable) (WM
3GS04326),
Shoulder carrying belt with bag for
Defibrillator/Pacer unit (WM 3GS04321.6),
3 pieces Lithium-Ion battery (WM 3GS04120.21),
4-pole ECG monitoring cable (WM 3GS04222),
6-pole ECG diagnostic completion cable (WM
3GS04223),
1x Set untangling clip for
ECG cable (WM 3GS04290.03900),
CompactFlashTM Card, 2GB (WM 3GS04236.3),
Accessory bag PAX Patient box (WM
3GS04221.5),
Operating manual (WM 3GS04130.x),
Mains charger with magnet plug (WM
3GS04501.1201),
Line cord 1,8 m bent shock-proof plug/power-
connector (WM 1GS04520.10),
corView2 basic version PC from SW version 2.0
(WM 3GS97031),

WM 3GS012000	<p>Printer paper (box of 10 rolls) (WM 3GS04121), ECG disposable electrode, adults + kids Ø35 mm (box of 50 pcs.) (WM 1GS01126.1)</p> <p>corpuls³ Monitor-/Defibrillator System, incl. Pacer, AED- and manual Mode, corPatch CPR, 12- Lead-ECG, SpO₂, Printer and functional Accessories incl. Mains Charger consisting of: Monitoring unit with printer (WM 3GS04100), Protective foil display corpuls 3 (WM 3GS70710.01100), Patient box incl. corPatch CPR, 12-lead ECG and CompactFlash(TM) interface (WM 3GS04200), Defibrillator-/Pacer unit (WM 3GS04300), corPatch easy - defibrillation/pacing electrodes with cable (WM 3GS04324.3), corPatch CPR disposable sensor adults and children > 20 kg (WM 3 GS04235.2), corPatch CPR intermediate cable 1.0 m (11p. Sub-D) (WM 3GS04235.0), Paddles (2 pieces incl. connection cable) (WM 3GS04326), Shoulder carrying belt with bag for Defibrillator/Pacer unit (WM 3GS04321.6), 3 pieces Lithium-Ion battery (WM 3GS04120.21), 4-pole ECG monitoring cable (WM 3GS04222), 6-pole ECG diagnostic completion cable (WM 3GS04223), 1x Set untangling clip for ECG cable (WM 3GS04290.03900), CompactFlashTM Card, 2GB (WM 3GS04236.3), Accessory bag PAX Patient box (WM 3GS04221.5), Operating manual (WM 3GS04130.x), Mains charger with magnet plug (WM 3GS04501.1201), Line cord 1,8 m bent shock-proof plug/power- connector (WM 1GS04520.10), corView2 basic version PC from SW version 2.0 (WM 3GS97031), Printer paper (box of 10 rolls) (WM 3GS04121), ECG disposable electrode, adults + kids Ø35 mm (box of 50 pcs.) (WM 1GS01126.1), Option SpO₂ (MASIMO Rainbow) (WM 3GS04212), MASIMO SpO₂, SpCO, SpMet (Rainbow) intermediate cable 1,20 m (20p/15p) for connection to 04225.xx, 04226.xx, 04227.xx sensors(WM 3GS04227.0), MASIMO SpO₂(Rainbow) fingersensor adult with cable 0,90 m(WM 3GS04227.2)</p>
WM 3GS013000	<p>corpuls³ Monitor-/Defibrillator System, incl. Pacer, AED- and manual Mode, corPatch CPR, 12- Lead-ECG, SpO₂, NIBP, Printer and functional Accessories incl. Mains Charger "consisting of: Monitoring unit with printer (WM 3GS04100), Protective foil display corpuls 3 (WM 3GS70710.01100), Patient box incl. corPatch CPR, 12-lead ECG and CompactFlash(TM) interface (WM 3GS04200), Defibrillator-/Pacer unit (WM 3GS04300), corPatch easy - defibrillation/pacing electrodes with cable (WM 3GS04324.3),</p>

corPatch CPR disposable sensor adults and children > 20 kg (WM 3 GS04235.2),
 corPatch CPR intermediate cable 1.0 m (11p. Sub-D) (WM 3GS04235.0),
 Paddles (2 pieces incl. connection cable) (WM 3GS04326),
 Shoulder carrying belt with bag for Defibrillator/Pacer unit (WM 3GS04321.6),
 3 pieces Lithium-Ion battery (WM 3GS04120.21),
 4-pole ECG monitoring cable (WM 3GS04222),
 6-pole ECG diagnostic completion cable (WM 3GS04223),
 1x Set untangling clip for ECG cable (WM 3GS04290.03900),
 CompactFlash™ Card, 2GB (WM 3GS04236.3),
 Accessory bag PAX Patient box (WM 3GS04221.5),
 Operating manual (WM 3GS04130.x),
 Mains charger with magnet plug (WM 3GS04501.1201),
 Line cord 1,8 m bent shock-proof plug/power-connector (WM 1GS04520.10),
 corView2 basic version PC from SW version 2.0 (WM 3GS97031),
 Printer paper (box of 10 rolls) (WM 3GS04121),
 ECG disposable electrode, adults + kids Ø35 mm (box of 50 pcs.) (WM 1GS01126.1),
 Option SpO2 (MASIMO Rainbow) (WM 3GS04212),
 MASIMO SpO2, SpCO, SpMet (Rainbow) intermediate cable 1,20 m (20p/15p) for connection to 04225.xx, 04226.xx, 04227.xx sensors(WM 3GS04227.0),
 MASIMO SpO2(Rainbow) fingersensor adult with cable 0,90 m(WM 3GS04227.2)
 Option NIBP (SUNTECH) (WM 3GS04203.CA),
 NIBP cuff ""adult"", upper arm range 23 - 33 cm (WM 3GS04229.16),
 NIBP hose cuff 2,5m (WM 3GS04229.91)
 "

WM 3GS013002

corpuls³ Monitor-/Defibrillator System SLIM, incl. Pacer,
 AED- and manual Mode, corPatch CPR, 12-Lead-ECG, SpO2, NIBP, Printer and functional Accessories incl. Mains Charger
 "consisting of:
 Monitoring unit with printer (WM 3GS04100),
 Protective foil display corpuls 3 (WM 3GS70710.01100),
 Patient box incl. corPatch CPR, 12-lead ECG and CompactFlash(TM) interface (WM 3GS04200),
 Defibrillator/Pacer unit SLIM (WM 3GS04301),
 corPatch easy pre-connected- defibrillation/pacing electrodes with cable(WM 3GS05120.1),
 corPatch CPR disposable sensor adults and children > 20 kg (WM 3 GS04235.2),
 corPatch CPR intermediate cable 1.0 m (11p. Sub-D) (WM 3GS04235.0),
 Shoulder strap for defibrillator-/pacer unit SLIM (WM 3GS04321.3),
 3 pieces Lithium-Ion battery (WM 3GS04120.21),
 4-pole ECG monitoring cable (WM 3GS04222),
 6-pole ECG diagnostic completion cable (WM 3GS04223),

1x Set untangling clip for
ECG cable (WM 3GS04290.03900),
CompactFlash™ Card, 2GB (WM 3GS04236.3),
Accessory bag PAX Patient box (WM
3GS04221.5),
Accessory bag PAX Defibrillation-/Pacer unit SLIM
(3GS04322.3),
Operating manual (WM 3GS04130.x),
Mains charger with magnet plug (WM
3GS04501.1201),
Line cord 1,8 m bent shock-proof plug/power-
connector (WM 1GS04520.10),
corView2 basic version PC from SW version 2.0
(WM 3GS97031),
Printer paper (box of 10 rolls) (WM 3GS04121),
ECG disposable electrode, adults and children Ø35
mm (box of 50 pcs.) (WM 1GS01126.1),
Option SpO2 (MASIMO Rainbow) (WM
3GS04212),
MASIMO SpO2, SpCO, SpMet (Rainbow)
intermediate cable 1,20 m (20p/15p) for
connection to 04225.xx, 04226.xx, 04227.xx
sensors(WM 3GS04227.0),
MASIMO SpO2(Rainbow) fingersensor adult with
cable 0,90 m(WM 3GS04227.2),
Option NIBP (SUNTECH) (WM 3GS04203.CA),
NIBP cuff ""adult"", upper arm range 23 - 33 cm
(WM 3GS04229.16),
NIBP hose cuff 2,5m (WM 3GS04229.91)

For functional test of Defibrillator/Pacer unit SLIM
the external test box (WM 3GS04310) is
necessary. Please order these separately.
"

WM 3GS014000

corpuls³ Monitor-/Defibrillator System, incl. Pacer,
AED- and manual Mode, corPatch CPR, 12-
Lead-ECG, NIBP, Printer and functional
Accessories incl. Mains Charger
"consisting of:
Monitoring unit with printer (WM 3GS04100),
Protective foil display corpuls 3 (WM
3GS70710.01100),
Patient box incl. corPatch CPR, 12-lead ECG and
CompactFlash(TM) interface (WM 3GS04200),
Defibrillator-/Pacer unit (WM 3GS04300),
corPatch easy - defibrillation/pacing electrodes
with cable (WM 3GS04324.3),
corPatch CPR disposable sensor adults and
children > 20 kg (WM 3 GS04235.2),
corPatch CPR intermediate cable 1.0 m (11p.
Sub-D) (WM 3GS04235.0),
Paddles (2 pieces incl. connection cable) (WM
3GS04326),
Shoulder carrying belt with bag for
Defibrillator/Pacer unit (WM 3GS04321.6),
3 pieces Lithium-Ion battery (WM 3GS04120.21),
4-pole ECG monitoring cable (WM 3GS04222),
6-pole ECG diagnostic completion cable (WM
3GS04223),
1x Set untangling clip for
ECG cable (WM 3GS04290.03900),
CompactFlash™ Card, 2GB (WM 3GS04236.3),
Accessory bag PAX Patient box (WM
3GS04221.5),

Operating manual (WM 3GS04130.x),
Mains charger with magnet plug (WM 3GS04501.1201),
Line cord 1,8 m bent shock-proof plug/power-connector (WM 1GS04520.10),
corView2 basic version PC from SW version 2.0 (WM 3GS97031),
Printer paper (box of 10 rolls) (WM 3GS04121),
ECG disposable electrode, adults + kids Ø35 mm (box of 50 pcs.) (WM 1GS01126.1),
Option NIBP (SUNTECH) (WM 3GS04203.CA),
NIBP cuff ""adult"", upper arm range 23 - 33 cm (WM 3GS04229.16),
NIBP hose cuff 2,5m (WM 3GS04229.91)
"

WM 3GS015000

corpuls³ Monitor-/Defibrillator System, incl. Pacer, AED- and manual Mode, corPatch CPR, 12-Lead-ECG, NIBP, CO₂, Printer and functional Accessories incl. Mains Charger
"consisting of:
Monitoring unit with printer (WM 3GS04100),
Protective foil display corpuls 3 (WM 3GS70710.01100),
Patient box incl. corPatch CPR, 12-lead ECG and CompactFlash(TM) interface (WM 3GS04200),
Defibrillator-/Pacer unit (WM 3GS04300),
corPatch easy - defibrillation/pacing electrodes with cable (WM 3GS04324.3),
corPatch CPR disposable sensor adults and children > 20 kg (WM 3 GS04235.2),
corPatch CPR intermediate cable 1.0 m (11p. Sub-D) (WM 3GS04235.0),
Paddles (2 pieces incl. connection cable) (WM 3GS04326),
Shoulder carrying belt with bag for Defibrillator/Pacer unit (WM 3GS04321.6),
3 pieces Lithium-Ion battery (WM 3GS04120.21),
4-pole ECG monitoring cable (WM 3GS04222),
6-pole ECG diagnostic completion cable (WM 3GS04223),
1x Set untangling clip for ECG cable (WM 3GS04290.03900),
CompactFlashTM Card, 2GB (WM 3GS04236.3),
Accessory bag PAX Patient box (WM 3GS04221.5),
Operating manual (WM 3GS04130.x),
Mains charger with magnet plug (WM 3GS04501.1201),
Line cord 1,8 m bent shock-proof plug/power-connector (WM 1GS04520.10),
corView2 basic version PC from SW version 2.0 (WM 3GS97031),
Printer paper (box of 10 rolls) (WM 3GS04121),
ECG disposable electrode, adults + kids Ø35 mm (box of 50 pcs.) (WM 1GS01126.1)
Option NIBP (SUNTECH) (WM 3GS04203.CA),
NIBP cuff ""adult"", upper arm range 23 - 33 cm (WM 3GS04229.16),
NIBP hose cuff 2,5m (WM 3GS04229.91)
Option CO₂ (capONE, Nihon Kohden) (WM 3GS04206),
CO₂ sensor capONE (WM 3GS04234.1),
CO₂ endotracheal tube disposable adapter (WM 3GS04234.11),

	CO2 intermediate cable capONE (WM 3GS04234.0) "
WM 3GS016000	corpuls ³ Monitor-/Defibrillator System, incl. Pacer, AED- and manual Mode, corPatch CPR, 12-Lead-ECG, SpO2, NIBP, CO2, Printer and functional Accessories incl. Mains Charger "consisting of: Monitoring unit with printer (WM 3GS04100), Protective foil display corpuls 3 (WM 3GS70710.01100), Patient box incl. corPatch CPR, 12-lead ECG and CompactFlash(TM) interface (WM 3GS04200), Defibrillator-/Pacer unit (WM 3GS04300), corPatch easy - defibrillation/pacing electrodes with cable (WM 3GS04324.3), corPatch CPR disposable sensor adults and children > 20 kg (WM 3 GS04235.2), corPatch CPR intermediate cable 1.0 m (11p. Sub-D) (WM 3GS04235.0), Paddles (2 pieces incl. connection cable) (WM 3GS04326), Shoulder carrying belt with bag for Defibrillator/Pacer unit (WM 3GS04321.6), 3 pieces Lithium-Ion battery (WM 3GS04120.21), 4-pole ECG monitoring cable (WM 3GS04222), 6-pole ECG diagnostic completion cable (WM 3GS04223), 1x Set untangling clip for ECG cable (WM 3GS04290.03900), CompactFlashTM Card, 2GB (WM 3GS04236.3), Accessory bag PAX Patient box (WM 3GS04221.5), Operating manual (WM 3GS04130.x), Mains charger with magnet plug (WM 3GS04501.1201), Line cord 1,8 m bent shock-proof plug/power-connector (WM 1GS04520.10), corView2 basic version PC from SW version 2.0 (WM 3GS97031), Printer paper (box of 10 rolls) (WM 3GS04121), ECG disposable electrode, adults + kids Ø35 mm (box of 50 pcs.) (WM 1GS01126.1) Option SpO2 (MASIMO Rainbow) (WM 3GS04212), MASIMO SpO2, SpCO, SpMet (Rainbow) intermediate cable 1,20 m (20p/15p) for connection to 04225.xx, 04226.xx, 04227.xx sensors(WM 3GS04227.0), MASIMO SpO2(Rainbow) fingersensor adult with cable 0,90 m(WM 3GS04227.2) Option NIBP (SUNTECH) (WM 3GS04203.CA), NIBP cuff ""adult"", upper arm range 23 - 33 cm (WM 3GS04229.16), NIBP hose cuff 2,5m (WM 3GS04229.91), Option CO2 (capONE, Nihon Kohden) (WM 3GS04206), CO2 sensor capONE (WM 3GS04234.1), CO2 endotracheal tube disposable adapter (WM 3GS04234.11), CO2 intermediate cable capONE (WM 3GS04234.0) "
WM 3GS016001	corpuls ³ Monitor-/Defibrillator System NVG

compatible, incl. Pacer, AED- and manual Mode,
corPatch CPR, 12-Lead-ECG, SpO₂, NIBP, CO₂,
Printer and functional Accessories incl. Mains
Charger
"consisting of:
Monitoring unit with printer NVG compatible (WM
3GS04100.1),
Protective foil display corpuls 3 (WM
3GS70710.01100),
Patient box NVG compatible incl. corPatch CPR,
12-lead ECG and CompactFlash(TM) interface
(WM 3GS04200.1),
Defibrillator-/Pacer unit NVG compatible (WM
3GS04300.1),
corPatch easy - defibrillation/pacing electrodes
with cable (WM 3GS04324.3),
corPatch CPR disposable sensor adults and
children > 20 kg (WM 3 GS04235.2),
corPatch CPR intermediate cable 1.0 m (11p.
Sub-D) (WM 3GS04235.0),
Paddles (2 pieces incl. connection cable) (WM
3GS04326),
Shoulder carrying belt with bag for
Defibrillator/Pacer unit (WM 3GS04321.6),
3 pieces Lithium-Ion battery (WM 3GS04120.21),
4-pole ECG monitoring cable (WM 3GS04222),
6-pole ECG diagnostic completion cable (WM
3GS04223),
1x Set untangling clip for
ECG cable (WM 3GS04290.03900),
CompactFlashTM Card, 2GB (WM 3GS04236.3),
Accessory bag PAX Patient box (WM
3GS04221.5),
Operating manual (WM 3GS04130.x),
Mains charger with magnet plug (WM
3GS04501.1201),
Line cord 1,8 m bent shock-proof plug/power-
connector (WM 1GS04520.10),
corView2 basic version PC from SW version 2.0
(WM 3GS97031),
Printer paper (box of 10 rolls) (WM 3GS04121),
ECG disposable electrode, adults + kids Ø35 mm
(box of 50 pcs.) (WM 1GS01126.1)
Option SpO₂ (MASIMO Rainbow) (WM
3GS04212),
MASIMO SpO₂, SpCO, SpMet (Rainbow)
intermediate cable 1,20 m (20p/15p) for
connection to 04225.xx, 04226.xx, 04227.xx
sensors(WM 3GS04227.0),
MASIMO SpO₂(Rainbow) fingersensor adult with
cable 0,90 m(WM 3GS04227.2)
Option NIBP (SUNTECH) (WM 3GS04203.CA),
NIBP cuff ""adult"", upper arm range 23 - 33 cm
(WM 3GS04229.16),
NIBP hose cuff 2,5m (WM 3GS04229.91)
Option CO₂ (capONE, Nihon Kohden) (WM
3GS04206),
CO₂ sensor capONE (WM 3GS04234.1),
CO₂ endotracheal tube disposable adapter (WM
3GS04234.11),
CO₂ intermediate cable capONE (WM
3GS04234.0)
"

WM 3GS016002

corpuls³ Monitor-/Defibrillator System SLIM, incl.
Pacer, AED- and manual Mode, corPatch CPR,

12-Lead-ECG, SpO₂, NIBP, CO₂, Printer and functional Accessories incl. Mains Charger "consisting of:
Monitoring unit with printer (WM 3GS04100),
Protective foil display corpuls 3 (WM 3GS70710.01100),
Patient box incl. corPatch CPR, 12-lead ECG and CompactFlash(TM) interface (WM 3GS04200),
Defibrillator/Pacer unit SLIM (WM 3GS04301),
corPatch easy pre-connected- defibrillation/pacing electrodes with cable(WM 3GS05120.1),
corPatch CPR disposable sensor adults and children > 20 kg (WM 3 GS04235.2),
corPatch CPR intermediate cable 1.0 m (11p. Sub-D) (WM 3GS04235.0),
Shoulder strap for defibrillator-/pacer unit SLIM (WM 3GS04321.3),
3 pieces Lithium-Ion battery (WM 3GS04120.21),
4-pole ECG monitoring cable (WM 3GS04222),
6-pole ECG diagnostic completion cable (WM 3GS04223),
1x Set untangling clip for ECG cable (WM 3GS04290.03900),
CompactFlashTM Card, 2GB (WM 3GS04236.3),
Accessory bag PAX Patient box (WM 3GS04221.5),
Accessory bag PAX Defibrillation-/Pacer unit SLIM (3GS04322.3),
Operating manual (WM 3GS04130.x),
Mains charger with magnet plug (WM 3GS04501.1201),
Line cord 1,8 m bent shock-proof plug/power-connector (WM 1GS04520.10),
corView2 basic version PC from SW version 2.0 (WM 3GS97031),
Printer paper (box of 10 rolls) (WM 3GS04121),
ECG disposable electrode, adults and children Ø35 mm (box of 50 pcs.) (WM 1GS01126.1),
Option SpO₂ (MASIMO Rainbow) (WM 3GS04212),
MASIMO SpO₂, SpCO, SpMet (Rainbow) intermediate cable 1,20 m (20p/15p) for connection to 04225.xx, 04226.xx, 04227.xx sensors(WM 3GS04227.0),
MASIMO SpO₂(Rainbow) fingersensor adult with cable 0,90 m(WM 3GS04227.2),
Option NIBP (SUNTECH) (WM 3GS04203.CA),
NIBP cuff ""adult"", upper arm range 23 - 33 cm (WM 3GS04229.16),
NIBP hose cuff 2,5m (WM 3GS04229.91)
Option CO₂ (capONE, Nihon Kohden)(WM 3GS04206),
CO₂ sensor capONE (WM 3GS04234.1),
CO₂ endotracheal tube disposable adapter(WM 3GS04234.11),
CO₂ intermediate cable capONE (WM 3GS04234.0)

For functional test of Defibrillator/Pacer unit SLIM the external test box (WM 3GS04310) is necessary. Order separately.

"

WM 3GS017000

corpuls³ Monitor-/Defibrillator System, incl. Pacer, AED- and manual Mode, corPatch CPR, 12-

Lead-ECG, SpO₂, NIBP, CO₂, IBP, Printer and functional Accessories incl. Mains Charger "consisting of:
 Monitoring unit with printer (WM 3GS04100),
 Protective foil display corpuls 3 (WM 3GS70710.01100),
 Patient box incl. corPatch CPR, 12-lead ECG and CompactFlash(TM) interface (WM 3GS04200),
 Defibrillator-/Pacer unit (WM 3GS04300),
 corPatch easy - defibrillation/pacing electrodes with cable (WM 3GS04324.3),
 corPatch CPR disposable sensor adults and children > 20 kg (WM 3 GS04235.2),
 corPatch CPR intermediate cable 1.0 m (11p. Sub-D) (WM 3GS04235.0),
 Paddles (2 pieces incl. connection cable) (WM 3GS04326),
 Shoulder carrying belt with bag for Defibrillator/Pacer unit (WM 3GS04321.6),
 3 pieces Lithium-Ion battery (WM 3GS04120.21),
 4-pole ECG monitoring cable (WM 3GS04222),
 6-pole ECG diagnostic completion cable (WM 3GS04223),
 1x Set untangling clip for ECG cable (WM 3GS04290.03900),
 CompactFlashTM Card, 2GB (WM 3GS04236.3),
 Accessory bag PAX Patient box (WM 3GS04221.5),
 Operating manual (WM 3GS04130.x),
 Mains charger with magnet plug (WM 3GS04501.1201),
 Line cord 1,8 m bent shock-proof plug/power-connector (WM 1GS04520.10),
 corView2 basic version PC from SW version 2.0 (WM 3GS97031),
 Printer paper (box of 10 rolls) (WM 3GS04121),
 ECG disposable electrode, adults + kids Ø35 mm (box of 50 pcs.) (WM 1GS01126.1)
 Option SpO₂ (MASIMO Rainbow) (WM 3GS04212),
 MASIMO SpO₂, SpCO, SpMet (Rainbow) intermediate cable 1,20 m (20p/15p) for connection to 04225.xx, 04226.xx, 04227.xx sensors(WM 3GS04227.0),
 MASIMO SpO₂(Rainbow) fingersensor adult with cable 0,90 m(WM 3GS04227.2)
 Option NIBP (SUNTECH) (WM 3GS04203.CA),
 NIBP cuff ""adult"", upper arm range 23 - 33 cm (WM 3GS04229.16),
 NIBP hose cuff 2,5m (WM 3GS04229.91)
 Option CO₂ (capONE, Nihon Kohden) (WM 3GS04206),
 CO₂ sensor capONE (WM 3GS04234.1),
 CO₂ endotracheal tube disposable adapter (WM 3GS04234.11),
 CO₂ intermediate cable capONE (WM 3GS04234.0),
 Option IBP (4-channel) (WM 3GS04205)
 IBP intermediate cable corpuls3 with GE/Marquette socket 3.6m (WM 3GS04233.02)
 "

WM 3GS018000

corpuls³ Monitor-/Defibrillator System, incl. Pacer, AED- and manual Mode, corPatch CPR, 12-Lead-ECG, SpO₂, NIBP, CO₂, IBP, Temp, Printer

and functional Accessories incl. Mains Charger
"consisting of:
Monitoring unit with printer (WM 3GS04100),
Protective foil display corpuls 3 (WM
3GS70710.01100),
Patient box incl. corPatch CPR, 12-lead ECG and
CompactFlash(TM) interface (WM 3GS04200),
Defibrillator-/Pacer unit (WM 3GS04300),
corPatch easy - defibrillation/pacing electrodes
with cable (WM 3GS04324.3),
corPatch CPR disposable sensor adults and
children > 20 kg (WM 3 GS04235.2),
corPatch CPR intermediate cable 1.0 m (11p.
Sub-D) (WM 3GS04235.0),
Paddles (2 pieces incl. connection cable) (WM
3GS04326),
Shoulder carrying belt with bag for
Defibrillator/Pacer unit (WM 3GS04321.6),
3 pieces Lithium-Ion battery (WM 3GS04120.21),
4-pole ECG monitoring cable (WM 3GS04222),
6-pole ECG diagnostic completion cable (WM
3GS04223),
1x Set untangling clip for
ECG cable (WM 3GS04290.03900),
CompactFlashTM Card, 2GB (WM 3GS04236.3),
Accessory bag PAX Patient box (WM
3GS04221.5),
Operating manual (WM 3GS04130.x),
Mains charger with magnet plug (WM
3GS04501.1201),
Line cord 1,8 m bent shock-proof plug/power-
connector (WM 1GS04520.10),
corView2 basic version PC from SW version 2.0
(WM 3GS97031),
Printer paper (box of 10 rolls) (WM 3GS04121),
ECG disposable electrode, adults + kids Ø35 mm
(box of 50 pcs.) (WM 1GS01126.1)
Option SpO2 (MASIMO Rainbow) (WM
3GS04212),
MASIMO SpO2, SpCO, SpMet (Rainbow)
intermediate cable 1,20 m (20p/15p) for
connection to 04225.xx, 04226.xx, 04227.xx
sensors(WM 3GS04227.0),
MASIMO SpO2(Rainbow) fingersensor adult with
cable 0,90 m(WM 3GS04227.2)
Option NIBP (SUNTECH) (WM 3GS04203.CA),
NIBP cuff ""adult"", upper arm range 23 - 33 cm
(WM 3GS04229.16),
NIBP hose cuff 2,5m (WM 3GS04229.91)
Option CO2 (capONE, Nihon Kohden) (WM
3GS04206),
CO2 sensor capONE (WM 3GS04234.1),
CO2 endotracheal tube disposable adapter (WM
3GS04234.11),
CO2 intermediate cable capONE (WM
3GS04234.0),
Option IBP (4-channel) (WM 3GS04205)
IBP intermediate cable with GE/Marquette socket
3.6m (WM 3GS04233.02),
Option Temperature (2-channel) (WM 3GS04204),
Temperature sensor YSI401D (WM 1GS02131.0)
"

WM 3GS018001

corpuls³ Monitor-/Defibrillator System NVG
compatible, incl. Pacer, AED- and manual Mode,

corPatch CPR, 12-Lead-ECG, SpO₂, NIBP, CO₂,
IBP, Temp, Printer and functional Accessories incl.
Mains Charger
"consisting of:
Monitoring NVG compatible unit with printer (WM
3GS04100.1),
Protective foil display corpuls 3 (WM
3GS70710.01100),
Patient box NVG compatible incl. corPatch CPR,
12-lead ECG and CompactFlash(TM) interface
(WM 3GS04200.1),
Defibrillator-/Pacer unit NVG compatible (WM
3GS04300.1),
corPatch easy - defibrillation/pacing electrodes
with cable (WM 3GS04324.3),
corPatch CPR disposable sensor adults and
children > 20 kg (WM 3 GS04235.2),
corPatch CPR intermediate cable 1.0 m (11p.
Sub-D) (WM 3GS04235.0),
Paddles (2 pieces incl. connection cable) (WM
3GS04326),
Shoulder carrying belt with bag for
Defibrillator/Pacer unit (WM 3GS04321.6),
3 pieces Lithium-Ion battery (WM 3GS04120.21),
4-pole ECG monitoring cable (WM 3GS04222),
6-pole ECG diagnostic completion cable (WM
3GS04223),
1x Set untangling clip for
ECG cable (WM 3GS04290.03900),
CompactFlashTM Card, 2GB (WM 3GS04236.3),
Accessory bag PAX Patient box (WM
3GS04221.5),
Operating manual (WM 3GS04130.x),
Mains charger with magnet plug (WM
3GS04501.1201),
Line cord 1,8 m bent shock-proof plug/power-
connector (WM 1GS04520.10),
corView2 basic version PC from SW version 2.0
(WM 3GS97031),
Printer paper (box of 10 rolls) (WM 3GS04121),
ECG disposable electrode, adults + kids Ø35 mm
(box of 50 pcs.) (WM 1GS01126.1)
Option SpO₂ (MASIMO Rainbow) (WM
3GS04212),
MASIMO SpO₂, SpCO, SpMet (Rainbow)
intermediate cable 1,20 m (20p/15p) for
connection to 04225.xx, 04226.xx, 04227.xx
sensors(WM 3GS04227.0),
MASIMO SpO₂(Rainbow) fingersensor adult with
cable 0,90 m(WM 3GS04227.2)
Option NIBP (SUNTECH) (WM 3GS04203.CA),
NIBP cuff ""adult"", upper arm range 23 - 33 cm
(WM 3GS04229.16),
NIBP hose cuff 2,5m (WM 3GS04229.91)
Option CO₂ (capONE, Nihon Kohden) (WM
3GS04206),
CO₂ sensor capONE (WM 3GS04234.1),
CO₂ endotracheal tube disposable adapter (WM
3GS04234.11),
CO₂ intermediate cable capONE (WM
3GS04234.0),
Option IBP (4-channel) (WM 3GS04205)
IBP intermediate cable with GE/Marquette socket
3.6m (WM 3GS04233.02),
Option Temperature (2-channel) (WM 3GS04204),

	Temperature sensor YSI401D (WM 1GS02131.0) "
WM 3GS018002	corpuls ³ Monitor-/Defibrillator System SLIM, incl. Pacer, AED- and manual Mode, corPatch CPR, 12-Lead-ECG, SpO ₂ , NIBP, CO ₂ , IBP, Temp, Printer and functional Accessories incl. Mains Charger "consisting of: Monitoring unit with printer (WM 3GS04100), Protective foil display corpuls 3 (WM 3GS70710.01100), Patient box incl. corPatch CPR, 12-lead ECG and CompactFlash(TM) interface (WM 3GS04200), Defibrillator/Pacer unit SLIM (WM 3GS04301), corPatch easy pre-connected- defibrillation/pacing electrodes with cable(WM 3GS05120.1), corPatch CPR disposable sensor adults and children > 20 kg (WM 3 GS04235.2), corPatch CPR intermediate cable 1.0 m (11p. Sub-D) (WM 3GS04235.0), Shoulder strap for defibrillator-/pacer unit SLIM (WM 3GS04321.3), 3 pieces Lithium-Ion battery (WM 3GS04120.21), 4-pole ECG monitoring cable (WM 3GS04222), 6-pole ECG diagnostic completion cable (WM 3GS04223), 1x Set untangling clip for ECG cable (WM 3GS04290.03900), CompactFlashTM Card, 2GB (WM 3GS04236.3), Accessory bag PAX Patient box (WM 3GS04221.5), Accessory bag PAX Defibrillation-/Pacer unit SLIM (3GS04322.3), Operating manual (WM 3GS04130.x), Mains charger with magnet plug (WM 3GS04501.1201), Line cord 1,8 m bent shock-proof plug/power-connector (WM 1GS04520.10), corView2 basic version PC from SW version 2.0 (WM 3GS97031), Printer paper (box of 10 rolls) (WM 3GS04121), ECG disposable electrode, adults and children Ø35 mm (box of 50 pcs.) (WM 1GS01126.1), Option SpO ₂ (MASIMO Rainbow) (WM 3GS04212), MASIMO SpO ₂ , SpCO, SpMet (Rainbow) intermediate cable 1,20 m (20p/15p) for connection to 04225.xx, 04226.xx, 04227.xx sensors(WM 3GS04227.0), MASIMO SpO ₂ (Rainbow) fingersensor adult with cable 0,90 m(WM 3GS04227.2) Option NIBP (SUNTECH) (WM 3GS04203.CA), NIBP cuff ""adult"", upper arm range 23 - 33 cm (WM 3GS04229.16), NIBP hose cuff 2,5m (WM 3GS04229.91) Option CO ₂ (capONE, Nihon Kohden) (WM 3GS04206), CO ₂ sensor capONE (WM 3GS04234.1), CO ₂ endotracheal tube disposable adapter (WM 3GS04234.11), CO ₂ intermediate cable capONE (WM 3GS04234.0), Option IBP (4-channel) (WM 3GS04205) IBP intermediate cable with GE/Marquette socket

3.6m (WM 3GS04233.02),
Option Temperature (2-channel) (WM 3GS04204),
Temperature sensor YSI401D (WM 1GS02131.0)

For functional test of Defibrillator/Pacer unit SLIM
the external test box (WM 3GS04310) is
necessary. Order separately.

"

Devices NVG/NVIS compatible

- WM 3GS04100.1 Monitor
with printer corpuls³ NVG compatible
- WM 3GS04200.1 Patient box corpuls³
NVG compatible, incl. corPatch CPR,
12-lead ECG, CompactFlash interface
- WM 3GS04300.1 Defibrillator/Pacer unit
Corpuls³ NVG compatible

Devices HBO compatible

- WM 3GS04100.2 Monitoring unit with printer corpuls³
HBO compatible
- WM 3GS04200.2 Patient box corpuls³, HBO compatible, incl.
corPatch CPR, 12-lead ECG and CompactFlash
interface
- WM 3GS04300.2 Defibrillator/Pacer unit corpuls³ HBO compatible

Options, accessories and consumables

Please be aware that installation of Options AFTER initial production of the device

SpO2 (MASIMO-SET)

- WM 3GS04202.3 Option SpO2 MASIMO® SET MS-2040 corpuls³
- WM 3GS04227.03 MASIMO® SET SpO2-intermediate cable corpuls³
1.6 m 11p/15p for connection to 04227.xx-sensors
- WM 3GS04228.0 MASIMO intermediate cable for SpO2 finger
sensor, 1.20m
- WM 3GS04228.1 MASIMO SpO2 finger sensor children 10-50 kg (reusable)
(warranty : 6 months upon delivery)
- WM 3GS04228.2 MASIMO SpO2 finger sensor adults and children >30 kg
with cable (reusable)
(warranty : 6 months upon delivery)
- WM 3GS04228.22 SpO2 Soft fingersensor adult
with cable 0.90 m
- WM 3GS04228.3 MASIMO SpO2 earclip sensor adults >30 kg (reusable)
(warranty : 6 months upon delivery)
- WM 3GS04228.61 MASIMO SpO2 disposable sensor adults and children >30 kg
(box of 20 pcs.)
(warranty: 3 months upon delivery)
- WM 3GS04228.62 MASIMO SpO2 disposable sensor children
10-50 kg (box of 20 pcs.)
(warranty: 3 months upon delivery)
- WM 3GS04228.63 MASIMO SpO2 disposable sensor infants
3-20 kg (box of 20 pcs.)
(warranty: 3 months upon delivery)
- WM 3GS04228.64 MASIMO SpO2 disposable sensor neonates
<3 kg toe / >40 kg finger (box of 20 pcs.)
(warranty: 3 months upon delivery)

SpO2 (MASIMO Rainbow SET)

- WM 3GS04212 Option SpO2 (MASIMO Rainbow SET) corpuls³

WM 3GS04227.02	MASIMO SpO2 (Rainbow) intermediate cable corpuls ³ 1,20 m 820p/9p) for connection to 04228.xx sensors
WM 3GS04227.0	MASIMO SpO2, SpCO, SpMet (Rainbow) intermediate cable corpuls ³ 1,20 m (20p/15p) for connection to 04225.xx, 04226.xx, 04227.xx sensors
WM 3GS04227.1	MASIMO SpO2 (Rainbow) fingersensor children with cable 0,90 m
WM 3GS04227.2	MASIMO SpO2 (Rainbow) fingersensor adult with cable 0,90 m
WM 3GS04227.4	MASIMO® SpO2 Rainbow ear clip sensor adultet 30 kg, 15pol
WM 3GS04227.22	MASIMO SpO2 (Rainbow) Soft fingersensors adults with cable 0,90 m
WM 3GS04227.61	MASIMO® SpO2 Rainbow disposable sensor adults and children >30kg (box of 20 pcs.) (warranty: 3 months upon delivery)
WM 3GS04227.62	MASIMO® SpO2 Rainbow disposable sensor children 10-50kg(box of 20 pcs.) (warranty: 3 months upon delivery)
WM 3GS04227.63	MASIMO SpO2 Rainbow disposable sensor infants 3-20 kg (box of 20 pcs.) (warranty: 3 months upon delivery)
WM 3GS04227.64	MASIMO SpO2 Rainbow disposable sensor neonates <3 kg toe / >40 kg finger (box of 20 pcs.) (warranty: 3 months upon delivery)
WM 3GS04226.63	MASIMO® SpO2/CO/Met Rainbow disposable sensor infant 3-30kg (box of 10 pcs.)
WM 3GS04226.211	Protective sleeve for MASIMO (Rainbow) fingersensor 3GS0226.2 (box of 10 pcs.)
WM 3GS04226.63	MASIMO® SpO2/CO/Met Rainbow disposable sensor infant 3-30kg (box of 10 pcs.)
SpCO (MASIMO Rainbow SET)	
WM 3GS04213	Option SpCO (MASIMO Rainbow SET) corpuls ³ (Only in combination with 3GS04212)
WM 3GS04226.62	MASIMO® SpO2/CO/Met Rainbow disposable sensor pediatric 10-50kg (box of 10 pcs.)
WM 3GS04226.1	MASIMO SpO2/ CO/ Met (Rainbow)-fingersensor children with cable 0,90 m
WM 3GS04226.2	MASIMO SpO2, SpCO, SpMet (Rainbow) fingersensor adult with cable 0,90 m
SpMET (MASIMO Rainbow SET)	
WM 3GS04214	Option SpMet (MASIMO Rainbow SET) corpuls ³ (Only in combination with 3GS04212)
WM 3GS04225.41	MASIMO® SpO2/Hb/Met(Rainbow) sensor kit children, box of 2 resposable sensors (re-usable up to 5 times)
WM 3GS04225.42	MASIMO® SpO2/Hb/Met(Rainbow) sensor kit adults, box of 2 resposable sensors (re-usable up to 5 times)

WM 3GS04225.45	MASIMO SpO2/Hb/Met Rainbow sensor pediatric (box of 5 resposable sensors - reusable up to 20 times), must be used with 3GS04225.451
WM 3GS04225.451	MASIMO SpO2/Hb/Met Rainbow sensor pediatric (box of 25 resposable sensors - reusable up to 20 times), must be used with 3GS04225.45
WM 3GS04225.46	MASIMO SpO2/Hb/Met Rainbow sensor adults (box of 5 resposable sensors - reusable up to 20 times), must be used with 3GS04225.461
WM 3GS04225.461	MASIMO SpO2/Hb/Met Rainbow sensor adults (box of 25 resposable sensors - reusable up to 20 times), must be used with 3GS04225.46
WM 3GS04226.63	MASIMO® SpO2/CO/Met Rainbow disposable sensor infant 3-30kg (box of 10 pcs.)
	SpHB (MASIMO Rainbow SET)
WM 3GS04215	Option SpHb (MASIMO Rainbow SET) compuls ³ (Only in combination with 3GS04212)
	Measurement of blood pressure (non-invasive)
WM 3GS04203	GS_OPTION_NIBD_SUNT
WM 3GS04229.02	GS_NIBD-MANSCHETTE_K
WM 3GS04229.04	NIBP cuff small adult, upper arm range 17 - 25 cm
WM 3GS04229.06	GS
WM 3GS04229.08	"NIBP cuff ""oversize adult"", upper arm range 31 - 40 cm "
WM 3GS04229.11	NIBP cuff one-piece infant, upper arm range 8 - 13 cm, orange, latex-free
WM 3GS04229.12	NIBP cuff one-piece child, upper arm range 12 - 19 cm, green, latex-free
WM 3GS04229.14	"NIBP cuff one-piece ""small adult"", upper arm range 17 - 25 cm, blue, latex-free "
WM 3GS04229.16	NIBP cuff one-piece adult, upper arm range 23 - 33 cm, dark-blue, latex-free
WM 3GS04229.17	"NIBP cuff one-piece ""Prime Cuff"", upper arm range 28-40 cm, dark-blue, latex-free "
WM 3GS04229.18	NIBP cuff one-piece 'oversize adult', upper arm range 31 - 40 cm, burgundy, latex-free
WM 3GS04229.71	NIBP disposable cuff infant, upper arm range 8 - 13 cm, orange, latex-free (box of 20 pcs.)
WM 3GS04229.72	NIBP disposable cuff child, upper arm range 12 - 19 cm, green, latex-free (box of 20 pcs.)
WM 3GS04229.74	NIBP disposable cuff small adult, upper arm range 17 - 25 cm, turquoise, latex-free (box of 20 pcs.)
WM 3GS04229.76	NIBP disposable cuff adult, upper arm range 23 - 33 cm, dark-blue, latex-free (box of 20 pcs.)
WM 3GS04229.78	NIBP disposable cuff 'oversize adult', upper arm range 31 - 40 cm, burgundy, latex-free (box of 20

	pcs.)
WM 3GS04229.80	NIBP disposable cuff thigh, thigh range 38 - 50 cm, brown, latex-free (box of 20 pcs.)
WM 3GS04229.10	NIBP cuff thigh, thigh range 38 - 50 cm
WM 3GS04229.81	"NIBP-disposable cuff size 1 ""neonate"", upper arm size 3-6 cm, minimum order quantity 20 pcs. "
WM 3GS04229.82	"NIBP-disposable cuff size 2 ""neonate"", upper arm size 4-8 cm, minimum order quantity 20 pcs. "
WM 3GS04229.83	"NIBP-disposable cuff size 3 ""neonate"", upper arm size 6-11 cm, minimum order quantity 20 pcs. "
WM 3GS04229.84	"NIBP-disposable cuff size 3 ""neonate"", upper arm size 7-13 cm, minimum order quantity 20 pcs. "
WM 3GS04229.85	"NIBP-disposable cuff size 3 ""neonate"", upper arm size 8-15 cm, minimum order quantity 20 pcs. "
WM 1GS02128.92	NIBP-hose cuff 4.0 m, for corpuls3, corpuls 08/16 and 08/16S
WM 1GS02128.95	"NIBP-adapter-hose (14 cm) for disposable cuff ""neonate"", for corpuls3, corpuls 08/16 and 08/16S "
WM 3GS04229.91	NIBP connection hose for cuffs corpuls ³ , 90° angled, 2.5 m

Measurement of blood pressure (invasive)

WM 3GS04205	Option IBP (4-channel)
WM 3GS04233.0	IBP adapter intermediate cable
WM 3GS04233.01	IBP assembly plug
WM 3GS04233.02	IBP intermediate cable corpuls3 with GE/Marquette socket 3.6m REQUIRES ADDITIONAL INTERMEDIATE CABLE BETWEEN TRANSDUCER AND GE-/MARQUETTE-SOCKET, ADDITIONAL INTERMEDIATE CABLE NOT AVAILABLE VIA WEINMANN/GS, PLEASE INQUIRE TRANSDUCER MANUFACTURER.
WM 3GS04233.04	IBP Y-intermediate cable corpuls ³ with 2x GE/Marquette socket

Measurement of temperature

WM 3GS04204	Option Temperature (2-channel) (Please order temperatur sensor 1GS02131.0 separately)
WM 1GS02131.0	Temperature sensor YSI401D oesoph. adult, only for 08/16 and corpuls3
WM 3GS02131.9	Protection for reusable temperature probes (box of 20 pieces)
WM 3GS04231.0	Intermediate cable for disposable temperature probe/sensor
WM 3GS04231.11	Foley catheter with disposable temperature sensor 12F (box of 20 pieces)

WM 3GS04231.21	Esophagus/rectum probe with disposable temperature sensor 12F (box of 20 pieces)
WM 3GS04231.31	Disposable Tympanum probe, adult (box of 20 pieces)
WM 3GS04231.32	Disposable Tympanum probe, pediatric (box of 20 pieces)
WM 3GS04231.41	Disposable skin-temperature sensor STS-400 (box of 20 pieces)

Capnography

WM 3GS04206	Option CO2 (capONE, Nihon Kohden)
WM 3GS04234.0	CO2 intermediate cable capONE
WM 3GS04234.1	CO2 sensor capONE
WM 3GS04234.11	CO2 endotracheal tube disposable adapter, mainstream, capONE (box of 30 pieces)
WM 3GS04234.20	CO2 disposable nasal adapter capONE (box of 30 pieces)
WM 3GS04234.21	CO2 disposable naso-oral adapter capONE (box of 30 pieces)
WM 3GS04234.22	CO2 disposable naso-oral adapter for oxygen cannula adjustment capONE (box of 30 pieces)

Other options

WM 3GS04208	Option ECG measurement and interpretation (Biosigna)
WM 3GS04102	Option insurance card reader corpuls ³
WM 3GS04103	GS_OPTION_GPRS-MODEM
WM 3GS04104	Option LAN Corpuls ³ (Only in combination with 3GS97041.6, not to combine with 3GS04103)
WM 3GS04211	GS_OPTION_INTEGRIERT
WM 3GS97041.1	Telemedicine module corpuls ³ - fax (only in combination with WM 3GS04103)
WM 3GS97041.3	Telemedicine modul corpuls ³ - Fax - E-Mail flat rate (7 years) (only in combination with 3GS04103)
WM 3GS97041.6	Telemedicine module Corpuls ³ -server(web) client, fax (only in combination with P/N 3GS04103 and service contract that includes an annual fee. Please get in contact with our customer service.)
WM 3GS97041.31	Licence - 12-lead ECG from corpuls ³ to fax-/e-mail server (flat rate until Q1/2016), (only in combination with 3GS04103/3GS04301.1) Only for customers who have already bought 3GS097041.1
WM 3GS97041.32	Licence - 12-lead ECG from corpuls ³ to fax-/e-mail server (flat rate until Q1/2016), (only in combination with 3GS04103/3GS04301.1) Only for customers who have already bought 3GS097041.1

Options for retrofitting

WM 3GSs04212	Option SpO2 Masimo® Rainbow SET corpuls ³ for retrofitting
WM 3GSs04213	"Option SpCO MASIMO® Rainbow SET corpuls ³ for retrofitting

With order of this option the following article will be delivered and calculated ""one MASIMO® Rainbow. This is independent of the ordered quantity
"

WM 3GSs04214 "Option SpMet MASIMO® Rainbow SET corpuls³ for retrofitting

With order of this option the following article will be delivered and calculated ""one ordered quantity
"

WM 3GSs04215 "Option SpHb MASIMO® Rainbow SET corpuls³ for retrofitting

With order of this option the following article will be delivered and calculated ""one ordered quantity
"

WM 3GSs04203 Option NIBP corpuls³ for retrofitting

WM 3GSs04205 Option IBP corpuls³ for retrofitting

WM 3GSs04204 Option Temperature corpuls³ for retrofitting

WM 3GSs04206 Option CO2 corpuls³ for retrofitting

WM 3GSs04211 Option Bluetooth interface Patient Box C3 for retrofitting

WM 3GSs04103 Option 3GSM modem (GPRS) corpuls³ for retrofitting

WM 3GSs04104 Option LAN corpuls³ for retrofitting

Software

WM 3GS97031 corView2 basic version PC from SW version 2.0

WM 3GS97030 corpuls.net basic version PC (limited functionality, with each corpuls³ free of charge)

Accessories for power supply

WM 3GS04120 GS_LITHIUM-IONEN_AKK

WM 3GS04120.21 Lithiu-Ion battery corpuls³/corpuls¹
7.4V/4.4Ah/32.6Wh (1 battery each modul =
3 batteries per compact device)

WM 3GS04120.22 Lithiu-Ion battery corpuls³/corpuls¹ with heater
4.4Ah 7.2V 31.7Wh

WM 3GS04400 Charging bracket Defibrillator/Pacer unit 12 V DC
(cable length 1.5 m)

WM 3GS04400.01 Charging bracket Defibrillator/Pacer unit 12 V DC
(cable length 0.4 m)

WM 3GS04400.02 Charging bracket Defibrillator/Pacer unit 12 V DC (cable length 0.25 m)

WM 3GS04400.03 Charging bracket Defibrillator/Pacer unit 12 V DC
(cable length 2.5 m)

WM 3GS04400.041 Charging bracket Defibrillator/Pacer unit with
Molex plug (cable length 2.0 m)

WM 3GS04401.041 Charging bracket Monitor unit with Molex plug
(cable length 2.0 m)

WM 3GS04401.003 Charging bracket Monitor unit with MagCode
(cable length 1.5 m)

WM 3GS04400.003 Charging bracket Defibrillator/Pacer unit with
MagCode (cable length 1.5 m)

WM 3GS04402.003 Charging bracket Patient box with MagCode
(cable length 1.5 m)

WM 3GS04401 Charging bracket Monitor unit 12 V DC

WM 3GS04402 Charging bracket for Patient box 12 V DC

WM 3GS04402.06	Charging bracket Patient box 12 V DC (cable length 0.1 m)
WM 3GS04402.041	Charging bracket Patient box with Molex plug (cable length 2.0 m)
WM 3GS04460.03043	12-V on-board supply system cable with plug and magnetic plug
WM 3GS04460.03044	12-V on-board supply system cable with plug and with two magnet plugs 12V
WM 3GS04501.1201	Mains charger corpuls3 with magnet plug (120 W)
WM 3GS04500.1202	Mains charger corpuls3 with Molex plug/PE (120W)
WM 3GS04520.20	Line cord 1,80 m U.S. pwr-coupler for Mains charger c ³
WM 3GS04520.31	Line cord 2,50 m bent GB-plug for Mains charger c ³
WM 3GS05460.0610AA	DC connector cable Hirschmann/Molex 0.15m
WM 3GS05460.0010AA	DC connector cable Hirschmann/Molex 1.5m
WM 3GS04120.22	Lithiu-Ion battery corpuls3/corpuls1 with heater 4.4Ah 7.2V 31.7Wh
WM 3GS04120.21	Lithiu-Ion battery corpuls3/corpuls1 7.4V/4.4Ah/32.6Wh (1 battery each modul = 3 batteries per compact device)
WM 3GS04411.51	adapter for charging bracket c ³ / Double standard rail 200 mm (Set of 2 pieces) 9033 0000, Germany
WM 3GS04510.AA	External Battery Charger corpuls3/corpuls1, 10-14 V DC, without cable

Accessories for vehicle, wall, stretcher and bed installation

WM 3GS04400.1	Mounting Defibrillator/Pacer unit without power supply
WM 3GS04400.2	Support Defibrillator/Pacer unit (only in combination with adapters)
WM 3GS04400.3	Mounting Defibrillator/Pacer unit corpuls3 for LK08/16 without power supply
WM 3GS04401.1	Mounting for Monitor unit without power supply
WM 3GS04402.1	Mounting for Patient box without power supply
WM 3GS04403	Intermediate adapter charging bracket corpuls 08/16/corpuls3
WM 3GS04403.1	Intermediate adapter charging bracket Monitor unit/stretcher adapter corpuls3
WM 3GS04403.6	Intermediate adapter for hole pattern LP12/corpuls ³ , (LP12 Dloughy mounting)
WM 3GS04404.1	Wall adapter norm bar for mountings of Monitoring unit (P/N 04401)
WM 3GS04405.1	Floor adapter helicopter corpuls3
WM 3GS04405.5	Floor adapter for ref. WM 3GS04400 (ambulance car, etc.) corpuls3
WM 3GS04406	Swivelling adapter 60° for mountings of Monitoring unit (P/N 04401)
WM 3GS04406.01	Swivelling adapter 35° for mountings of Monitoring unit (P/N 04401)

WM 3GS04412.2	Adapter (detachable) for stretcher Ø 19/22mm / side rail (incl. set of screws)
WM 3GS04410.1	Adapter for stretcher Stollenwerk (incl. set of screws)
WM 3GS04410.2	Adapter for stretcher Stryker (incl. set of screws)
WM 3GS04410.3	Adapter for stretcher Kartsana (incl. set of screws)
WM 3GS04410.21	Adapter for stretcher Stryker M1 - head part (incl. set of screws) - only for P/N 04402.

WM 3GS04411.1	Adapter for norm bar (incl. set of screws)
WM 3GS04411.2	Adapter for clinic bed/norm bar (incl. set of screws)
WM 3GS04411.4	Screwing adapter for norm bar
WM 3GS04411.5	"Adapter for charging bracket corpuls3 / double norm bar 10"" (Set of 2) "

WM 3GS04411.62	Adapter for clinic bed 180 mm (incl. set of screw)
----------------	--

Accessories defibrillator and pacemaker, including

WM 3GS04326	Shockpaddles corpuls3 (2 pieces incl. connecting cable)
WM 3GS04326.0	Therapy master cable corpuls3 SLIM
WM 3GS04327.0	Shock paddle holder corpuls ³ (1 pair incl. connecting cable)
WM 3GS04327.6	Y-Adapter - Shock spoon holder (Compatible with corpuls ¹ / corpuls ³)
WM 3GS04327.1	Shock spoon size A, 11,00 cm ²
WM 3GS04327.2	Shock spoon size B, 18,25 cm ²
WM 3GS04327.3	Shock spoon size C, 46,60 cm ²
WM 3GS04324.3	corPatch easy - defibrillation/pacing electrodes with cable
WM 3GS05120.1	corPatch easy pre-connected
WM 3GS05120.2	corPatch easy Pediatric
WM 3GS04235.2	corPatch CPR disposable sensor adults and children > 20 kg
WM 3GS04235.0	corPatch CPR intermediate cable 1.0 m (11p. Sub-D)
WM 1GS01239	Electrode gel, 100g
WM 1GS01227	Baby (neonates) shock electrodes

ECG accessories and consumables

WM 1GS01126.1	ECG disposable electrode, adult and children Ø35 mm (box of 50)
WM 3GS04222	4-pole ECG monitoring cable corpuls3 with ERC code
WM 3GS04222.02	4-pole ECG monitoring cable corpuls3 3.6 m, with clips and Code ERC
WM 3GS04222.1	4-pole ECG monitoring cable corpuls3 with AHA code (americ.)
WM 3GS04222.2	4-pole ECG monitoring cable corpuls3 for neonates and infants

WM 3GS04223	6-pole ECG diagnostic completion cable corpuls3 with ERC code
WM 3GS04223.1	6-pole ECG diagnostic completion cable corpuls3 with AHA code (americ.)
WM 3GS04224	ECG cable tester Corpuls
WM 3GS68120.03900	Untangling clip 2 and 3 groove for ECG cable (8 pieces needed for both ECG cables)

Other accessories

WM 3GSd04000	Dummy Compact Device corpuls3 without accessories (empty housing, for exhibition purposes only)
WM 3GSd04100	Dummy monitoring unit corpuls3 (empty housing, for exhibition purposes only)
WM 3GSd04200	Dummy patient box corpuls3 (empty housing, for exhibition purposes only)
WM 3GSd04300	Dummy Defibrillator/Pacer unit corpuls3 (empty housing, for exhibition purposes only)
WM 3GSd04301	Dummy Defibrillator/Pacer unit corpuls ³ SLIM
WM 3GS04221.5	Accessory bag PAX black for Patient box
WM 3GS04221.6	Accessory bag PAX XXL black for patient box
WM 3GS04322.1	Accessory bag Defibrillator/Pacer unit corpuls3 (2 pcs. recommended per device)
WM 3GS04322.3	Accessory bag PAX Defibrillation-/Pacer unit corpuls3 SLIM
WM 3GS04322.50	Accessory bag PAX left, black for Defibrillator/Pacer unit
WM 3GS04322.51	Accessory bag PAX right, black for Defibrillator/Pacer unit
WM 3GS64193.00000	Slider (3-part to be sewed in) for fastener accessory bag PAX 04221.5
WM 3GS04321.8	Back strap for Defibrillator/Pacer unit corpuls ³
WM 3GS70710.01100	Protective film display corpuls3
WM 3GS04252	CompactFlash cover patient box
WM 3GS04121	Printer paper corpuls3 (box of 10 rolls)
WM 3GS04190.01100	Protective Foil Display corpuls3 (bulk pack) 25 pcs.
WM 3GS04236.3	CompactFlash card 2.0 GB corpuls3
WM 3GS04321.6	Shoulder strap with bag PAX for defibrillator-/Pacer unit corpuls3
WM 3GS04321.32	Shoulder strap for defibrillator-/pacer unit corpuls3 SLIM
WM 3GS04324.5	Additional bracket for corPatch easy
WM 3GS04310	Test box for defibrillator-/pacer unit SLIM corpuls3 and corpuls1
WM 3GS04324.9000AA	Corpuls adapter cable for training Zoll/Laerdal (ShockLink)

Instructions for use

WM 3GS04130.2	Instruction for use corpuls3, EN (with each corpuls3 free of charge)
WM 3GS04130.3	Instruction for use corpuls3, FR (with each corpuls3 free of charge)

WM 3GS04130.16	GS instructions for use Corpuls 3, ru
	Certificates
WM 3GS04100.9	Helicopter-Certificate Monitoring unit with printer corpuls3
WM 3GS04200.9	Helicopter-Certificate Patient Box incl. 12-lead ECG and CompactFlash interface corpuls ³
WM 3GS04300.9	Helicopter-Certificate defibrillator/pacemaker unit corpuls3
WM 3GS04301.9	Cert.-Aircraft Defibrillator/Pacer unit corpuls3 SLIM

corpuls 08/16 is discontinued

Options, accessories and consumables

Pulse oximetry

WM 1GS03110	Option MASIMO SET-SpO2
WM 1GS03128.04	MASIMO SpO2 intermediate cable 08/16, 2.4 m, 9-pol. Sub-D
WM 3GS04228.1	MASIMO SpO2 finger sensor children 10-50 kg (reusable) (warranty : 6 months upon delivery)
WM 3GS04228.2	MASIMO SpO2 finger sensor adults and children >30 kg with cable (reusable) (warranty : 6 months upon delivery)
WM 3GS04228.3	MASIMO SpO2 earclip sensor adults >30 kg (reusable) (warranty : 6 months upon delivery)
WM 3GS04228.61	MASIMO SpO2 disposable sensor adults and children >30 kg (box of 20 pcs.) (warranty: 3 months upon delivery)
WM 3GS04228.62	MASIMO SpO2 disposable sensor children 10-50 kg (box of 20 pcs.) (warranty: 3 months upon delivery)
WM 3GS04228.63	MASIMO SpO2 disposable sensor infants 3-20 kg (box of 20 pcs.) (warranty: 3 months upon delivery)
WM 3GS04228.64	MASIMO SpO2 disposable sensor neonates <3 kg toe / >40 kg finger (box of 20 pcs.) (warranty: 3 months upon delivery)

Measurement of blood pressure (non-invasive)

WM 1GS03103.02	Option NIBP, only for 08/16 and 08/16S
WM 3GS04229.81	"NIBP-disposable cuff size 1 ""neonate"", upper arm size 3-6 cm, minimum order quantity 20 pcs. "
WM 3GS04229.82	"NIBP-disposable cuff size 2 ""neonate"", upper arm size 4-8 cm, minimum order quantity 20 pcs. "
WM 3GS04229.83	"NIBP-disposable cuff size 3 ""neonate"", upper arm size 6-11 cm, minimum order quantity 20 pcs. "
WM 3GS04229.84	"NIBP-disposable cuff size 3 ""neonate"", upper arm size 7-13 cm, minimum order quantity 20 pcs.

	"
WM 1GS02128.95	"NIBP-adapter-hose (14 cm) for disposable cuff ""neonate"", for corpuls3, corpuls 08/16 and 08/16S "
WM 1GS02128.91	GS_NIBP-ANSCHLUSSSCH
WM 1GS02128.92	NIBP-hose cuff 4.0 m, for corpuls3, corpuls 08/16 and 08/16S
WM 3GS04229.01	GS_NIBD-MANSCHETTE_S
WM 3GS04229.02	GS_NIBD-MANSCHETTE_K
WM 3GS04229.04	NIBP cuff small adult, upper arm range 17 - 25 cm
WM 3GS04229.06	GS
WM 3GS04229.08	"NIBP cuff ""oversize adult"", upper arm range 31 - 40 cm "
WM 3GS04229.10	NIBP cuff thigh, tigh range 38 - 50 cm
	Measurement of blood pressure (invasive)
WM 1GS03105	Option IBP, only for 08/16
WM 1GS60319.30007	Plug IBP 7 pole, black, Redel-type (2 each required, price each), only for 08/16
	Measurement of temperature
WM 1GS03104	Option Temperature, only for 08/16
WM 1GS02131.0	Temperature sensor YSI401D oesoph. adult, only for 08/16 and corpuls3
WM 3GS02131.9	Protection for reusable temperature probes (box of 20 pieces)
	Capnography
WM 1GS03106	Option CO2, only for 08/16
WM 1GS03134.2	CO2-disposable adapter (mainstream) adult/child (box of 10 pcs.), only for 08/16
WM 1GS03134.3	CO2-reusable adapter (mainstream) adult/child, sterilizable, only for 08/16
WM 1GS03134.4	CO2-disposable adapter (low dead space) new-borns (box of 10 pcs.), only for 08/16
	Data transfer
WM 1GS03111.0	GSM Module (only for using GSM), only for 08/16 and 08/16S
WM 1GS03111.01	GSM + Line Module for GSM and phone network, only for 08/16 and 08/16S
WM 1GS03111.03	GSM Module for vehicles 12-28V DC on-board supply, only for 08/16 and 08/16S Depending on configuration chosen, further articles may be required (see articles no. 97022.10000/11000/20000/21000/30000)
WM 1GS49025.00002	Bluetooth Adapter Set, external, serial (configured for corpuls 08/16 - PENTA PC), only for 08/16 and 08/16S
WM 1GS49025.01000	Bluetooth-Adapter, external, serial (configured for corpuls 08/16 - MOBIC PC), only for 08/16 and 08/16S
WM 1GS03123.3	RS 232 Interface cable (2m)
WM 1GS49025.90000	Power Supply for Bluetooth-Adapter , only for 08/16 and 08/16S

Other options

WM 1GS03108	Option Thrombolysis Interpretation (software), only for 08/16
WM 1GS03109	Option RS232 interface
WM 1GS03114	Compact Flash Memory (CFM), with insurance card reader (for German system only), only for 08/16 and 08/16S

Software

WM 1GS97022.10000	corLink basic license, PENTA and other PCs (license without dongle), only for 08/16 and 08/16S
WM 1GS97022.11000	corLink plus basic license incl.corView plus for PCs (license without dongle), only for 08/16 and 08/16S
WM 1GS97022.20000	License COM package Fax+PC for corpuls 08/16 (CP to PC)
WM 1GS97022.21000	COM package Fax (Communication license, FAX transfer only), only for 08/16 and 08/16S
WM 1GS97022.30000	COM pack for PC (e.g. PENTA), Communication license for PC (requires corLink), only for 08/16 and 08/16S
WM 1GS76166.00000	CD with GS Firmware (includes all GS SW-products) without license, only for 08/16 and 08/16S
WM 1GS97021.20000	PC software corMon / Option remote monitor (License without dongle), only for 08/16 and 08/16S
WM 1GS97021.30000	PC software corMon 3.xx Option remote monitor (License without dongle), only for 08/16 and 08/16S
WM 1GS97021.03114	PC software corView plus (License without dongle), only for 08/16 and 08/16S
WM 1GS97021.13114	PC software corView plus (License without dongle), only for 08/16 and 08/16S
WM 1GS97020.10000	PC software, system config. corAdmin/customer (License without dongle), only for 08/16 and 08/16S
WM 1GS60306.00000	Dongle LPT HW 3.9 specifically configured (up to 4 licences), only for 08/16 and 08/16S
WM 1GS60306.01000	Dongle USB HW 4.4 specifically configured (up to 4 licences), only for 08/16 and 08/16S

Accessories defibrillator and pacemaker, including

WM 1GS03126.1	Adult paddle, code blue
WM 1GS03126.2	Adult paddle, code red
WM 1GS03126.3	Paddle holder, complete
WM 1GS01227	Baby (neonates) shock electrodes
WM 1GS01230	Safety mat
WM 1GS01239	Electrode gel, 100g
WM 1GS02125	Defi/stim. twin cable
WM 3GS04325.1	corPatch clip - defibrillation/pacing electrodes for 3M-clips for corpuls 08/16
WM 3GS04325.2	corPatch clip (neonates) - defibrillation/pacing electrodes for 3M-clips

WM 1GS02125.3	Adapter cable 08/16 for corPatch easy
WM 1GS03166.3	Cover paddle holder test-adapter corPatch easy adapter cable
WM 1GS03166	Cover paddle holder
WM 1GS03166.1	Cover panel with test adapter defi/stim. cable

ECG accessories and consumables

WM 1GS01220	3 pole ECG patient cable 2.5 m
WM 1GS02122	4 pole ECG patient cable 2.5 m
WM 1GS02122.1	4 pole ECG patient cable 3.5 m
WM 1GS02122.11	Untangling clip 2-groove (for 4 pole ECG patient cable)
WM 1GS02122.2	"4 pole ECG patient cable for ""premature infants"", ""infants"", ""children"", 2.5 m "
WM 1GS02122.9	ECG cable 2.5m only for use with 3 pole simulators
WM 1GS02123	6 pole ECG diagnostic cable (additional)
WM 1GS02123.11	Untangling clip 3-groove (for 6 pole ECG diagnostic cable), only for 08/16
WM 1GS01126.1	ECG disposable electrode, adult and children Ø35 mm (box of 50)
WM 1GS02136	Apron electrode belt V1-V6, only for 08/16
WM 1GS03129.1	Adapter for training doll system Laerdal
WM 1GS03129.2	Adapter for training doll system Draeger
WM 1GS03129.3	Adapter for training doll system Ambu
WM 1GSw0025.32002	ECG simulator Phantom 320 (English)

Accessories for vehicle installation

WM 1GS01321	Quick changing adapter for wall assembly, only for 08/16 and 08/16S
WM 1GS03221	Quick changing adapter for floor/wall assembly, only for 08/16 and 08/16S
WM 1GS03220	Quick change adapter for wall installation, left hinge, swivelling from 0° to 65°, only for 08/16 and 08/16S
WM 1GS03220.3	Quick change adapter for wall installation, right hinge, swivelling from 0° to 65°, only for 08/16 and 08/16S
WM 1GS03125.8	ECG-M-socket for 4 pole car roof extension cable
WM 1GS03125.100	4 pole ECG-car roof extension cable 6.0 m
WM 1GS03125.200	6 pole ECG-car roof extension cable 6.0 m, only for 08/16
WM 1GS03125.62	MASIMO car roof interface for ECG cable, SpO2, NIBP and Temp, only for 08/16 and 08/16S
WM 1GS03125.92	MASIMO SpO2-socket for car roof extension cable
WM 1GS03125.310	MASIMO SpO2-car roof extension cable 6.0 m
WM 1GS03125.00099	NIBP-car extension kit including instructions, only for 08/16 and 08/16S
WM 1GS03125.7	NIBP-connection tube for Wall/Unit,

only for 08/16 and 08/16S

WM 1GS03125.400 Temperature-vehicle roof extension cable 6.0 m,
only for 08/16

Accessories for power supply

WM 1GS03120 Battery 08/16
only for 08/16 and 08/16S

WM 1GS03120.2 Booster Battery Pack BBP 08/16,
only for 08/16 and 08/16S

WM 1GS03120.4 Mains charger 08/16 E and BBP 230 V AC,
50/60 Hz incl. cable and plug, only for 08/16E
(additionally requires part no. 1GS03120.42 or 1GS03120.44)

WM 1GS03120.44 Line cord 1,8m U.S. pwr-coupler Nema 5-15P/pwr-
connector C14 in accordance with IEC320

WM 1GS03200 Charging Bracket 08/16
30V/12-28V DC (mains/onboard supply), only for 08/16 and 08/16S

WM 1GS04520.10 Line cord 1,8m with bent shock-proof
plug

WM 1GS03201 Charging Bracket 08/16
230V/12-28V with RS232-interface,
only for 08/16 and 08/16S

WM 1GS03200.5 Wall adapter plate LK08/16 E 12-28 V DC,
only for 08/16E

WM 1GS03200.6 Adapter for crash carts or ststic wall mount
for corpuls 08/16E

WM 1GS03204 Charging Bracket LK08/16 28V (helicopter) with
RS232-interface, only for 08/16 and 08/16S

WM 1GS03205 Charging Adapter on-board supply LAB-08/16
12-28V with magnet locking,
only for 08/16 and 08/16S

WM 1GS03206 Power supply 230V with magnet locking,
(requires part no. 1GS03120.42 or 1GS03120.44),
only for 08/16 and 08/16S

WM 1GS03252.0 Charger unit casing LK0816 (new) pre-assembled (ET)

Adapter for stretcher and beds

WM 1GS03138.1 Support hospital bed corpuls 08/16,
corpuls 08/16 S

WM 1GS03138.5 Support hospital bed corpuls 08/16 E

WM 1GS03137.11 Adapter for wall, only for 08/16 and 08/16S

WM 1GS03137.01 Adapter for stretcher Syst. Ferno,
only for 08/16 and 08/16S

WM 1GS03137.51 Adapter for stretcher Syst. Stollenwerk,
only for 08/16 and 08/16S

WM 1GS03137.61 Adapter for stretcher Syst. Stryker,
only for 08/16 and 08/16S

Other accessories

WM 1GS03122.1 "Accessory bag ""right"" for 4 pole cable,
R6-Electrodes, gel, defibr/stim. Cable,
only for 08/16 and 08/16S
"

WM 1GS03122.4 "Accessory bag ""top"" for carrying belt,
only for 08/16 and 08/16S
"

WM 1GS03122.5	Shoulder carrying belt, 40 mm wide, black, only for 08/16 and 08/16S
WM 1GS03122.6	Protective accessory bag for corpuls 08/16
WM 1GS03122.7	Protective accessory bag kitbag 08/16, only for 08/16 and 08/16S
WM 1GS03222	Floor stand for charging bracket, only for 08/16 and 08/16S

Instructions for use

WM 1GS03130.xx	Operating instructions (software version XX)
WM 1GS03130.205	Instruction for use 08/16 version 3.4 EN
WM 1GS03130.215	Instruction for use 08/16 version 3.3 FR

Other consumables

WM 1GS03121	Printer paper (box of 10 pcs.)
WM 1GS01239	Electrode gel, 100g